304

TM 11-5815-281-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

EMFO LIBRARY

FIELD AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

DISTRIBUTOR-TRANSMITTER SET, TELETYPEWRITER AN/GGC-9

HEADQUARTERS, DEPARTMENT OF THE ARMY
8 NOVEMBER 1962

EMFO LIBRARY

Technical Manual
No. 11-5815-281-35P

HEADQUARTERS,
DEPARTMENT OF THE ARMY
WASHINGTON 25, D.C., *8 November 1962*

DISTRIBUTOR-TRANSMITTER SET, TELETYPEWRITER AN/GGC-9

			Paragraph	Page
SECTION	I.	INTRODUCTION		
		Scope	1	3
		Parts for maintenance	2	4
		Additional repair parts authorization	3	4
		Requisitioning information	4	4
		References	5	4
		Comments on manual	6	5
	II.	FUNCTIONAL PARTS LIST		
		Distributor-Transmitter Set, Teletypewriter AN/GGC-9		
		Group I Interconnecting Cables		5
		II Motor Dust Cover, Base Frame and Power Shaft		6
		III Internal Base Components		7
		IV Transmitter Covers		9
		V Counter Mechanism		11
		VI Tape-Out Sensing Mechanism		12
		VII Stop-Start Levers		13
		VIII Tight-Tape Lever Assembly		14
		IX Code Sensing Levers and Associated Parts		14
		X Distributor Clutch Magnet, Armature, and Latching Levers		16
		XI Tape-Reader Clutch Magnet and Armature		17
		XII Transmitter Pulsing Switches		18
		XIII Tape Reader, Markable Transmitter-Distributor		19
		XIV Distributor		20
		XV Miscellaneous Transmitter Components		22
		XVI Tape-Reader, Markable Transmitter-Distributor Motor		24
		XVII Numbering Base Covers		27
		XVIII Numbering Base		28
		XIX Upper Numbering Assembly		29
		XX Lower Numbering Assembly		31
		XXI Upper Subpanel Assembly		32
		XXII Lower Subpanel Assembly		33
		XXIII Control Base Front Panel		34
		XXIV Control Base Rear Bracket Assembly		35
		XXV Removal of Top Component from 48-Volt Power Supply Chassis		36
		XXVI Disassembly of Chassis Inner Components of 48-Volt Power Supply		38
	III.	FUNCTIONAL PARTS LIST		
		Power Supply PP-1801/FG		39

SECTION I

INTRODUCTION

1. Scope

a. This manual lists the quantities of repair parts for third, fourth, and fifth echelon field maintenance and is a basis for requisitioning authorized parts. It is also a guide for fifth echelon in establishing initial levels of spare parts.

b. Columns are as follows:

(1) *Source, maintenance, and recoverability code.* Source, maintenance, and recoverability codes indicate the technical service responsible for supply, the echelons where an item is stocked, echelons where an item is installed or repaired, and whether an item is repairable or salvageable. The source code column is divided into four parts.

(a) Column A. This column indicates the technical service responsible for supply. AR 310-2 defines the basic numbers used to identify the technical services. If the part is supplied by the Signal Corps, the column is blank.

(b) Column B. This column indicates the point within the maintenance system where the part is available. "P" indicates that the repair part is high mortality part; procured by technical services, stocked in and supplied from the technical service depot system, and authorized for use at indicated maintenance echelons. "P1" indicates that the repair part is a low mortality part; procured by technical services, stocked only in and supplied from service *key* depots, and authorized for installation at indicated maintenance echelons. Code "M" applies to repair parts which are not procured or stocked but are to be manufactured by using units at indicated maintenance echelons. Code "A" applies to assemblies which are not procured or stocked as such but are made up of two or more units, each of which carry individual stock numbers and descriptions and are procured and stocked and can be assembled by units at indicated maintenance echelons. Code "X1" applies to repair parts which are not procured or stocked, for which the requirement will be supplied by use of next higher component or assembly. Code "X2" applies to repair parts which are not stocked. The indicated maintenance echelon requiring such repair parts will attempt to obtain from salvage; if not obtainable from salvage, such repair parts will be requisitioned with supporting justification through normal supply channels.

(c) Column C. This column indicates the lowest maintenance echelon authorized to install the part.

"O" — Organizational maintenance (1st and 2d echelon).
"F" — Field maintenance (3d echelon).
"H" — Field maintenance (4th echelon).

(d) Column D. Not used.

(2) *Federal stock number.* This column lists the 11-digit Federal stock number.

(3) *Designation by model.* Not used.

(4) *Description.* Nomenclature or the standard item name and brief identifying data for each item are listed in this column. When requisitioning, enter the nomenclature and description.

(5) *Unit of issue.* The unit of issue is each unless otherwise indicated and is the supply term by which the

individual item is counted for procurement, storage, requisitioning, allowances, and issue purposes.

(6) *Expendability.* Nonexpendable items are indicated by NX. Expendable items are not annotated.

(7) *Quantity incorporated in unit.* This column lists the quantity of each part found in a given assembly, component, or equipment.

(8) *Field (third echelon).* This column indicates quantities of repair parts authorized for initial stockage for use in the third echelon maintenance and in supply support to second echelon. The quantities are based on 100 equipments to be maintained for a 15-day period.

(9) *Field (fourth echelon).* The numbers in this column indicate quantities of repair parts authorized for initial stockage for use in fourth echelon maintenance. The quantities are based on 100 equipments to be maintained for a 15-day period.

(10) *Depot (fifth echelon).* The numbers in this column indicate quantities of repair parts authorized for depot maintenance and for initial stockage for maintenance, and for supply support to lower echelons. The entries are based on the quantity required for rebuild of 100 equipments.

(11) *Illustrations.* The "Item No." column lists the reference designations that appear on the part in the equipment. These same designations are also used on any illustrations of the equipment. The numbers in the "Figure No." column refer to the illustrations where the part is shown in TM 11-5815-281-35.

2. Parts for Maintenance

When this equipment is used by signal service organizations organic to the theater headquarters or communication zones to provide theater communications, those repair parts authorized up to and including fourth echelon are authorized for stockage by the organization operating this equipment.

3. Additional Repair Parts Authorization

An asterisk (*) in the column titled "15 Day Maintenance Allowance per 100 Equipments" indicates that an item is not authorized for stockage but if required, may be requisitioned for immediate use only.

4. Requisitioning Information

a. The allowance factors are based on 100 equipments. In order to determine the number of parts authorized for initial stockage for the specific number of equipments supported, the following formula will be used and carried out to two decimal places.

$$\text{Specific number of equipments supported} \times \frac{\text{allowance factor}}{100} = \text{Number of parts authorized for initial stockage.}$$

b. Fractional values obtained from above computation will be rounded to whole numbers as follows:

(1) When the total number of parts authorized is less than 0.5, the quantity authorized will be zero.

(2) When the total number of parts authorized is between 0.5 and 1.0, the quantity authorized will be one.

(3) For all values above one, fractional values below 0.5 will revert to the next lower whole number and fractional value 0.5 and above will advance to the next higher whole number.

c. The quantities determined in accordance with the above computation represent the initial stockage for a 15-day period.

5. References

A maintenance allocation chart and basic issue items list are contained in TM 11-5815-281-12. Additional instructions concerning maintenance of this equipment are contained in:

Operator's Manual:

TM 11-2249-10, Teletypewriter Sets AN/TGC-5, AN/TGC-5X, AN/TGC-

5A, AN/TGC-5AX, AN/TGC-12, and AN/TGC-12X.

Maintenance:

TM 11-2249-25, Teletypewriter Sets AN/TGC-5, AN/TGC-5X, AN/TGC-5A, AN/TGC-5AX, AN/TGC-12, and AN/TGC-12X.

Organizational Maintenance Repair Parts and Special Tools List:

TM 11-5815-281-20P, Distributor-Transmitter Set, Teletypewriter AN/GGC-9.

6. Comments on Manual

Fill out and forward DA Form 2028 (Recommended Changes to DA Technical Manual Parts Lists or Supply Manual 7, 8, or 9), direct to: Commanding Officer, U. S. Army Electronics Materiel Support Agency, ATTN: SELMS-MP, Fort Monmouth, New Jersey.

SECTION II. FUNCTIONAL PARTS LIST

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATIONS FIGURE NO.	(12) ILLUSTRATIONS ITEM NO.
A	B	C	D			DISTRIBUTOR-TRANSMITTER SET, TELETYPEWRITER AN/GGC-9								
				5815-892-3434		DISTRIBUTOR-TRANSMITTER SET, TELETYPEWRITER AN/GGC-9: 7.42 unit code; 5 channels; accepts 7/8 in w and 11/16 in w fully punched tape; series governed motor; 60 and 100 wpm; 105v to 125v ac, 60 cyc, single ph		NX						
						GROUP I INTERCONNECTING CABLES								
	P1	F		5995-823-2953		CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL CX-7642/GGC-9:			2	2.0	1.2	10		63926A
	P1	F		5995-876-4269		CABLE ASSEMBLY, POWER, ELECTRICAL, BRANCHED CX-7641/GGC-9			1	1.3	0.7	5		63930A
	P1	F		5995-876-4270		CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, BRANCHED CX-7640/GGC-9			1	1.3	0.7	5		63932A
	P1	F		5310-543-2739		WASHER, LOCK: MS-35333-72 (Authorized allowances based on a total of 9)			3	3.1	2.0	90.0		10404
	P1	F		5310-209-3868		WASHER, LOCK: Shakeproof part No. 170601 (Authorized allowances based on a total of 7)			3	2.6	1.6	70.0		10412
	P1	H		5935-865-9245		CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt part No. 20485			2	-	1.2	6.0		20485
	P1	H		5935-865-9249		CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt part No. 20486			2	-	1.2	6.0		20486
	P1	F		5935-199-2635		CONNECTOR, PLUG, ELECTRICAL: MS-3106A18-20P			1	1.3	0.7	3.0		20487
	P1	F		5935-223-0574		ADAPTER, CABLE TO CONNECTOR: AN-3057-10			2	1.5	0.8	8.0		20488
	P1	F		5935-223-0572		ADAPTER, CABLE TO CONNECTOR: AN-3057-12			1	1.0	0.5	4.0		20489
	P1	F		5935-643-5146		CONNECTOR, PLUG, ELECTRICAL: MS-3106A-20-33S			1	1.3	0.7	3.0		20490
	P1	F		5935-221-9212		CONNECTOR, PLUG, ELECTRICAL: MS-3101A-16S-1P			1	1.3	0.7	3.0		20491
	P1	F		5935-201-5608		CONNECTOR, PLUG, ELECTRICAL: MS-3101A-18-4P			1	1.3	0.7	3.0		20492
	P1	F		6145-578-7231		CABLE, POWER, ELECTRICAL: Kleinschmidt part No. 20640 (Authorized allowances will be a minimum of or a multiple of 7) (Authorized allowances based on a total of 9)	ft		7	*	*	90.0		20640

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5940-231-4425		TERMINAL LUG: Aircraft Marine Products part No. 34122 (Authorized allowances based on a total of 9)			2	3.1	2.0	45.0		20709
	P1	F		5935-565-8982		CONNECTOR, PLUG, ELECTRICAL: Kleinschmidt part No. 60008			3	2.6	1.6	9.0		60008
						GROUP II MOTOR DUST COVER, BASE FRAME AND POWER SHAFT								
	P1	F		5305-531-9034		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10003 (Authorized Allowances based on a total of 33)			4	7.1	3.0	330.0	71	10003
	P1	F		5305-207-8967		SETSCREW: Kleinschmidt part No. 10209 (Authorized Allowances based on a total of 16)			2	4.2	2.7	160.0	71	10209
	P1	F		5310-282-9584		WASHER, LOCK: Shakeproof part No. 171000 (Authorized allowances based on a total of 12)			4	3.6	2.3	120.0	71	10405
	P1	F		5310-209-4471		WASHER, LOCK: Kleinschmidt part No. 10421 (Authorized allowances based on a total of 28)			2	6.3	2.6	280.0	71	10421
	P1	F		5310-209-4471		WASHER, LOCK: Kleinschmidt part No. 10429 (Authorized allowances based on a total of 90)			2	15.3	7.2	900.0	71	10429
	P1	F		5310-576-1352		WASHER, LOCK: Kleinschmidt part No. 10438			5	2.0	1.2	50.0	71	10438
	X2	F				WASHER, FLAT: Kleinschmidt part No. 10472			2	-	-	-	71	10472
	P1	F		3110-144-8865		BEARING, BALL, ANNULAR: Kleinschmidt part No. 10758			4	2.6	1.6	8.0	71	10758
	P1	F		5315-242-5474		PIN, COTTER: Kleinschmidt part No. 10805			4	2.6	1.6	40.0	71	10805
	X2	F				SCREW, MACHINE: Kleinschmidt part No. 11501			2	-	-	-	71	11501
	X2	F				CLAMP, LOOP:			2	-	-	-	71	20516
	P1	F		5310-638-5179		WASHER, THRUST: Kleinschmidt part No. 50746			2	1.7	1.0	20.0	71	50746
	P1	F		5815-697-7890		GEAR, WORM WHEEL: (60 wpm) Sig dwg SM-B-196685 OR			2	2.0	1.2	6.0	71	52106A
	P1	F		5815-534-3011		GEAR, WORM WHEEL: (100 wpm) Sig dwg SM-B-196135			2	2.0	1.2	6.0	71	52109A

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5305-594-1028		SCREW, SHOULDER: Kleinschmidt part No. 52701			8	2.6	1.6	80.0	71	52701
	P1	F		5310-521-8552		WASHER, KEY: Kleinschmidt part No. 54566			10	4.2	2.7	100.0	71	54566
	P1	F		5306-600-3058		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 56124			2	1.1	0.6	20.0	71	56124
	P1	F		5815-586-0404		SHIM: Kleinschmidt part No. 57073			8	2.6	1.6	24.0	71	57073
	X2	F				CLAMP, LOOP: Kleinschmidt part No. 59189A			2	-	-	-	71	59189A
	X2	F				STUD, EXTENSION: Kleinschmidt part No. 59595			2	-	-	-	71	59595
	X2	F				SHAFT: Kleinschmidt part No. 59684			2	-	-	-	71	59684
	P1	F		5815-609-9665		GEAR, SPUR: Sig dwg No. SC-B-331487			2	1.5	0.8	6.0	71	59701A
	X2	F				COVER, MOTOR-GENERATOR: Kleinschmidt part No. 59708A			2	-	-	-	71	59708A
	X2	F				GROMMET, RUBBER: Kleinschmidt part No. 59713			6	-	-	-	71	59713
	X2	F				BASE UNIT, TELETYPEWRITER: Kleinschmidt part No. 63914A			2	-	-	-	71	63914A
						GROUP III INTERNAL BASE COMPONENTS								
	P1	F		5910-112-7401		CAPACITOR, FIXED, PAPER DIELECTRIC: 500,000 uuf; MIL-C-25A, type CP53B1DF504V			2	1.5	0.8	6.0	72	C2
	P	O		5920-224-5269		FUSE, CARTRIDGE: 1.6 amp; Littelfuse cat 31301.6 (Authorized Allowances based on a total of 6)			4	67.5	60.0	300.0	72	F1 F2
	P1	F		5915-523-1968		FILTER, RADIO INTERFERENCE: Sig dwg No. SM-B-314938			2	1.5	0.8	6.0	72	FL2
	P1	H		5935-866-3914		CONNECTOR, RECEPTACLE, ELECTRICAL: Kleinschmidt part No. 20484			2	-	1.2	6.0	72	J11
	P1	F		5935-636-7145		CONNECTOR, PLUG, ELECTRICAL: MIL type UP 12IM (Authorized Allowances based on a total of 3)			2	2.6	1.6	9.0	72	P55
	P1	F		5905-683-6375		RESISTOR, FIXED, WIRE WOUND: 250 ohms ±10% 50w; Kleinschmidt part No. 59994			2	1.5	0.8	6.0	72	R1
	P1	F		5930-050-2704		SWITCH, TOGGLE: MIL spec MS 35059-9			2	2.0	1.2	10.0	72	S8
	P1	F		5940-581-3178		TERMINAL BOARD: Sig dwg SM-D-331506-32			2	0.8	0.4	6.0	72	TB1
	P1	F		5940-502-7583		TERMINAL BOARD: Cinch Jones part No. 4-140-3/4 WAE-X			2	0.8	0.4	6.0	72	TB2
	P1	F		5920-280-4167		FUSEHOLDER: Littlefuse part No. 342003			4	1.7	1.0	2.0	72	XF1 XF2

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATIONS FIGURE NO	(12) ILLUSTRATIONS ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
				5305-531-9034		SCREW, CAP, SOCKET HEAD: (For Authorized Allowances see Group II)			10	-	-	-	72	10003
	P1	F		5305-514-7728		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10006 (Authorized Allowances based on a total of 18)			8	4.8	3.0	180.0	72	10006
	P1	F		5305-514-6805		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10055 (Authorized Allowances based on a total of 22)			20	5.5	2.2	220.0	72	10055
	P1	F		5305-207-5582		SCREW, MACHINE: Kleinschmidt part No. 10393 (Authorized Allowances based on a total of 19)			12	5.0	2.0	190.0	72	10393
	P1	F		5310-209-3990		WASHER, LOCK: MS 35333-71 (Authorized Allowances based on a total of 92)			46	16.0	7.4	920.0	72	10403
				5310-209-4471		WASHER, LOCK: (For Authorized Allowances see Group II)			16	-	-	-	72	10421
				5310-209-4471		WASHER, LOCK: (For Authorized Allowances see Group II)			10	-	-	-	72	10429
	P1	F		5310-209-3871		WASHER, LOCK: Kleinschmidt part No. 10430 (Authorized Allowances based on a total of 33)			2	7.1	3.0	33.0	72	10430
	P1	F		5310-209-0574		WASHER, FLAT: Kleinschmidt part No. 10454 (Authorized Allowances based on a total of 14)			8	4.2	2.7	140.0	72	10454
	P1	F		5310-596-4547		WASHER, FLAT: Kleinschmidt part No. 10456			4	1.7	1.0	40.0	72	10456
	P1	F		5310-595-5969		WASHER, FLAT: Kleinschmidt part No. 10459 (Authorized Allowances based on a total of 30)			16	6.7	4.6	300.0	72	10459
	P1	F		5310-208-4124		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10516			2	1.1	0.6	20.0	72	10516
	X2	F				SCREW, DRIVE: Kleinschmidt part No. 11032			8	-	-	-	72	11032
	P1	F		5305-826-7780		SCREW, MACHINE: Kleinschmidt part No. 11700			2	0.8	0.4	20.0	72	11700
	X2	F				PLATE: Kleinschmidt part No. 20388			2	-	-	-	72	20388
	P1	O		5920-283-7178		CAP, ELECTRICAL: Littelfuse part No. 342003-5A2			4	2.0	1.2	12.0	72	20460
	X2	F				CABLE CLAMP: Kleinschmidt part No. 20510			2	-	-	-	72	20510
	X2	F				CLAMP, LOOP: Tinnerman part No. C3046A6-35			4	-	-	-	72	20516
	X2	F				CLAMP, LOOP: Tinnerman part No. C3049A3-108			4	-	-	-	72	20519
	P1	F		6145-660-9321		CABLE, POWER ELECTRICAL: Kleinschmidt part No. 20628	ft		12	*	*	120	72	20628
	P1	F		5940-231-4430		TERMINAL, LUG: Sig dwg No. SM-B-331510-1 (Authorized Allowances based on a total of 18)			4	4.8	3.0	90.0	72	20706
	P1	F		5940-231-4428		TERMINAL, LUG: Thomas and Betts Co part No. C33 (Authorized Allowances based on a total of 6)			2	2.0	1.2	30.0	72	20708
	P1	F		5940-231-4431		TERMINAL, LUG: Sig dwg No. SM-B-331485-6			2	1.1	0.6	10.0	72	20710

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATIONS FIGURE NO	(12) ILLUSTRATIONS ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	X2	F				BUSHING, CABLE: Heyman part No. S2-6P			2	-	-	-	72	20713
	P1	F		5940-577-3950		TERMINAL LUG: Thomas and Betts Co Inc. part No. RA881F			32	7.1	3.0	160.0	72	20951
	X2	F				PLATE: Kleinschmidt part No. 21041			2	-	-	-	72	21041
	P1	H		5815-633-0394		CONTACT, ELECTRICAL: Kleinschmidt part No. S5688			30	-	6.5	90.0	72	55688
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 59596			2	-	-	-	72	59596
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 59683			2	-	-	-	72	59683
	M	F				WIRING, HARNESS, BRANCHED: Kleinschmidt part No. 59719A			2	-	-	-	72	59719A
	X2	F				BRACKET, ANGLE: Kleinschmidt part No. 59783			4	-	-	-	72	59783
	X2	F				BUTTON, PLUG: Kleinschmidt part No. 59792			4	-	-	-	72	59792
	P1	F		5305-883-0749		SCREW, MACHINE: Kleinschmidt part No. 60013			2	1.1	0.6	20.0	72	60013
	M	F				WIRING, HARNESS, BRANCHED: Kleinschmidt part No. 60959A			2	-	-	-	72	60959A
	A	F				CABLE ASSEMBLY, POWER, ELECTRICAL: Kleinschmidt part No. 63912A			2	-	-	-	72	63912A
	X2	F				PLATE, ELECTRICAL SHIELD: Kleinschmidt part No. 63915A			2	-	-	-	72	63915A
	X2	F				PLATE DESIGNATION: Kleinschmidt part No. 63917			2	-	-	-	72	63917
	A	H				CABLE ASSEMBLY: Kleinschmidt part No. 63918A			2	-	-	-	72	63918A
	M	H				WIRING HARNESS: Kleinschmidt part No. 63919A			2	-	-	-	72	63919A
						GROUP IV TRANSMITTER COVERS								
				5305-531-9034		SCREW, CAP, SOCKET HEAD: (For Authorized Allowances see Group II)			2	-	-	-	73	10003
	P1	F		5305-753-4356		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10004 (Authorized Allowances based on a total of 12)			2	3.6	2.3	120.0	73	10004
				5305-514-7728		SCREW, CAP, SOCKET HEAD: (For Authorized Allowances see Group III)			2	-	-	-	73	10006
	P1	F		5305-637-7903		SCREW, MACHINE: Kleinschmidt part No. 10106 (Authorized Allowances based on a total of 20)			10	5.0	2.0	200.0	73	10106
	P1	F		5305-333-4262		SETSCREW: Kleinschmidt part No. 10203 (Authorized Allowances based on a total of 10)			2	3.1	2.0	100.0	73	10203
	X2	F				SETSCREW: Kleinschmidt part No. 10221			2	-	-	-	73	10221
	X2	F				SETSCREW: Kleinschmidt part No. 10224			2	-	-	-	73	10224

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5305-292-6707		SCREW, MACHINE: Kleinschmidt part No. 10252			4	1.7	1.0	40.0	73	10252
	P1	F		5305-207-7484		SCREW, MACHINE: Kleinschmidt part No. 10357			4	1.7	1.0	40.0	73	10357
				5310-209-3990		WASHER, LOCK: (For Authorized Allowances see Group III)			12	-	-	-	73	10403
				5310-209-4471		WASHER, LOCK: (For Authorized Allowances see Group II)			2	-	-	-	73	10421
				5310-209-4471		WASHER, LOCK: (For Authorized Allowances see Group II)			8	-	-	-	73	10429
	P1	F		5310-637-3944		WASHER, FLAT: Kleinschmidt part No. 10458 (Authorized Allowances based on a total of 50)			8	10.0	4.2	500.0	73	10458
				5310-595-5969		WASHER, FLAT: (For Authorized Allowances see Group III)			2	-	-	-	73	10459
	P1	F		5815-330-5692		BALL, POSITIONING: Kleinschmidt part No. 10924			2	1.7	1.0	6.0	73	10924
	P1	F		5340-282-0813		RING, RETAINING: Waldes-Kohinoor part No. 5133-18PPRP (Authorized Allowances based on a total of 24)			4	9.5	4.1	48.0	73	10949
	X2	F				GROMMET, RUBBER: Atlantic Rubber Co part No. 2286			6	-	-	-		20725
	P1	F		5815-521-1391		GUIDE, TAPE: Kleinschmidt part No. 52809			2	1.5	0.8	6.0	73	52809
	X2	F				BUSHING, SLEEVE: Kleinschmidt part No. 52860			4	-	-	-	73	52860
	P1	F		5305-534-3020		SCREW, MACHINE: Sig dwg No. SM-B-157401			4	1.7	1.0	40.0	73	52884
	X2	F				TAPE COVER LATCH STUD: Kleinschmidt part No. 53952			2	-	-	-	73	53952
	P1	F		5815-663-3364		SPRING, HELICAL, TORSION: Kleinschmidt part No. 56324			2	1.7	1.0	2.0	73	56324
	P1	F		5815-588-0954		SHIM: Sig dwg No. SM-B-314759-1 (Authorized Allowances based on a total of 4)			2	2.6	1.6	24.0	73	57201
	P1	F		5815-588-0953		SHIM: Sig dwg No. SM-B-314759-2 (Authorized Allowances based on a total of 4)			2	2.6	1.6	24.0	73	57202
	P1	F		5815-543-4288		SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-314848			2	1.1	0.6	6.0	73	57203
	X2	F				LEVER: Kleinschmidt part No. 57204			2	-	-	-	73	57204
	X2	F				HINGE: Kleinschmidt part No. 57209			2	-	-	-	73	57209
	P1	F		5315-588-0968		PIN, STRAIGHT, HEADLESS: Kleinschmidt part No. 57214			2	1.1	0.6	4.0	73	57214
	X2	F				COVER: Kleinschmidt part No. 58737A			2	-	-	-	73	58737A
	X2	F				COVER: Kleinschmidt part No. 58742A			2	-	-	-	73	58742A
	X2	F				TAPE SHELF: Kleinschmidt part No. 58744			2	-	-	-	73	58744
	P1	F		5815-594-3882		SPRING, HELICAL, COMPRESSION: Kleinschmidt part No. 58797 (Authorized Allowances based on a total of 12)			2	4.8	3.0	36.0	73	58797

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	(12)
										3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5310-655-7419		WASHER, FLAT: Kleinschmidt part No. 58859			4	2.0	1.2	40.0	73	58859
	X2	F				TAPE, COVER BRACKET: Kleinschmidt part No. 59414A			2	-	-	-	73	59414A
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 59711			2	-	-	-	73	59711
	P1	F		5815-886-9629		PLATE, GUIDE: Kleinschmidt part No. 60522			2	1.5	0.8	6.0	73	60522
	X2	F				COVER, SIDE, DISTRIBUTOR-TRANSMITTER: Kleinschmidt part No. 63916A			2	-	-	-	73	63916A
						GROUP V COUNTER MECHANISM								
	P1	F		5815-557-4794		CONTACT ASSEMBLY: Kleinschmidt part No. 58651A			2	1.5	0.8	4.0	74	S28
	P1	F		5930-884-0762		SWITCH, PUSH: Licon Switch and Control part No. 16-330003			2	2.0	1.2	10.0	74	S44
	P1	F		5305-521-8637		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10001 (Authorized allowances based on a total of 10)			4	3.1	2.0	20.0	73	10001
				5305-753-4356		SCREW, MACHINE: (For Authorized allowances see Group IV)			2	-	-	-	74	10004
				5305-514-7728		SCREW, MACHINE: (For Authorized allowances see Group III)			2	-	-	-	74	10006
				5305-333-4262		SETSCREW: (For Authorized allowances see Group IV)			2	-	-	-	74	10203
	P1	F		5305-297-7905		SETSCREW: Kleinschmidt part No. 10210 (Authorized allowances based on a total of 8)			4	2.6	1.6	80.0	74	10210
	X2	F				SCREW, DRIVE: Kleinschmidt part No. 10348			2	-	-	-	74	10348
	P1	F		5305-206-3903		SCREW, MACHINE: Kleinschmidt part No. 10386			2	0.8	0.4	20.0	74	10386
				5310-209-4471		WASHER, LOCK: (For Authorized Allowances see Group II)			8	-	-	-	74	10421
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			6	-	-	-	74	10429
				5310-637-3944		WASHER, FLAT: (For Authorized allowances see Group IV)			6	-	-	-	74	10458
	P1	F		5310-523-2035		NUT, SELF-LOCKING, HEXAGON: Esna part No. F22NTM82 (Authorized allowances based on a total of 14)			6	6.3	2.6	140.0	74	10501
				5340-282-0813		RING, RETAINING: (For Authorized allowances see Group IV)			6	-	-	-	74	10949
	P1	F		5815-600-3090		PAWL: Kleinschmidt part No. 54803			4	2.0	1.2	8.0	74	54803
	X2	F				HUB ASSEMBLY: Kleinschmidt part No. 58632A			2	-	-	-	74	58632A
	P1	F		5815-601-4205		GEAR, RATCHET: Sig dwg No. SM-B-71475			2	1.5	0.8	6.0	74	58637A

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATIONS FIGURE NO	(12) ILLUSTRATIONS ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-601-4206		GEAR, RATCHET: Sig dwg No. SM-B-71478			2	1.5	0.8	6.0	74	58640A
	P1	F		5815-886-9627		STUD, ECCENTRIC: Kleinschmidt part No. 58643			2	1.1	0.6	4.0	74	58643
	P1	F		5815-601-4207		STUD, ECCENTRIC: Kleinschmidt part No. 58644			4	1.7	1.0	8.0	74	58644
	P1	F		5815-601-4208		PAWL: Sig dwg No. SM-B-71483			2	1.5	0.8	4.0	74	58645A
	P1	F		5815-540-7221		BEARING, SLEEVE: Sig dwg No. SM-B-71485			2	1.1	0.6	4.0	74	58647
	P1	F		5815-657-2185		LEVER: Sig dwg No. SM-B-71487			2	1.1	0.6	8.0	74	58649
	P1	F		5815-601-4209		LEVER: Sig dwg No. SM-B-71488			2	1.1	0.6	8.0	74	58650
	P1	F		5815-601-4210		LEVER: Sig dwg No. SM-B-71494			2	1.1	0.6	8.0	74	58656A
	P1	F		5815-602-5249		SPRING, FLAT STRIP: Sig dwg No. SM-B-71568			2	1.5	0.8	4.0	74	58741A
	P1	F		5815-633-0366		SPRING, HELICAL, TORSION: Kleinschmidt part No. 58788			2	1.7	1.0	2.0	74	58788
	P1	F		5815-633-0386		SPRING, HELICAL, TORSION: Kleinschmidt part No. 58789			2	1.7	1.0	2.0	74	58789
	P1	F		5815-633-0387		SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 58790			4	2.0	1.2	12.0	74	58790
	P1	F		5815-657-2186		STUD, ECCENTRIC: Kleinschmidt part No. 58842			2	1.1	0.6	4.0	74	58842
	P1	F		5815-649-9286		SPRING, HELICAL, TORSION: Kleinschmidt part No. 59660			2	1.7	1.0	2.0	74	59660
	P1	F		5310-690-8256		NUT, PLAIN, RECTANGULAR: Kleinschmidt part No. 60298			2	1.1	0.6	20.0	74	60298
	X2	F				PLATE: Kleinschmidt part No. 60469			2	-	-	-	74	60469
	P1	F		5815-886-9632		BRACKET: Kleinschmidt part No. 63922A			2	1.1	0.6	4.0	74	63922A
						GROUP VI TAPE-OUT SENSING MECHANISM								
				5305-531-9034		SCREW, MACHINE: (For Authorized allowances see Group II)			2	-	-	-	75	10003
	P1	F		5305-721-4490		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10058 (Authorized allowances based on a total of 4)			2	1.7	1.0	40.0	75	10058
	P1	F		5305-333-4261		SETSCREW: Kleinschmidt part No. 10201			2	1.1	0.6	20.0	75	10201
				5305-333-4262		SETSCREW: (For Authorized Allowances see Group IV)			4	-	-	-	75	10203
	P1	F		5305-297-7721		SCREW, MACHINE: Kleinschmidt part No. 10398 (Authorized Allowances based on a total of 6)			2	2.0	1.2	60.0	75	10398
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			4	-	-	-	75	10429
	P1	F		5310-013-1116		WASHER, LOCK: Br and Str part No. 92769 (Authorized allowances based on a total of 44)			2	9.0	3.9	440.0	75	10432

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
				5310-637-3944		WASHER, FLAT: (For Authorized allowances see Group IV)			4	-	-	-	75	10458
	P1	F		5340-256-2867		RING, RETAINING: Waldes-Kohinoor part No. 5133-15PPRP			4	2.6	1.6	8.0	75	10960
	P1	F		5310-220-6420		WASHER, FLAT: Sig dwg No. SC-B-69322-3 (Authorized Allowances based on a total of 14)			2	4.2	2.7	140.0	75	50320
	X2	F				CAM: Kleinschmidt part No. 58678			2	-	-	-	75	58678
	X2	F				CAM: Kleinschmidt part No. 58679			2	-	-	-	75	58679
	X2	F				COLLAR: Kleinschmidt part No. 58718A			2	-	-	-	75	58718A
	P1	F		5815-594-3914		BEARING, SLEEVE: Sig dwg No. SM-B-71584			2	1.1	0.8	4.0	75	58759
	P1	F		5815-594-3917		SPRING, HELICAL, TORSION: Sig dwg No. SM-B-71621			2	1.7	1.0	2.0	75	58791
	P1	F		5815-594-3907		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71604-1			2	1.5	0.8	6.0	75	58792
	P1	F		5815-660-0901		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71662			2	1.5	0.8	6.0	75	58960
	X2	F				LEVER: Kleinschmidt part No. 60524A			2	-	-	-	75	60524A
	P1	F		5815-886-9630		SHAFT: Kleinschmidt part No. 60578			2	0.8	0.4	2.0	75	60578
	P1	F		5815-886-9631		PLATE, GUIDE: Kleinschmidt part No. 60579A			2	1.1	0.6	6.0	75	60579A
	X2	F				LEVER: Kleinschmidt part No. 60582A			2	-	-	-	75	60582A
	X2	F				LEVER: Kleinschmidt part No. 60583			2	-	-	-	75	60583
	P1	F		5330-841-7418		FELT, MECHANICAL PREFORMED: Kleinschmidt part No. 61474 (Authorized allowances based on a total of 8)			2	4.2	2.7	80.0	75	61474
	P1	F		5330-841-6378		WASHER, NON-METALLIC: Kleinschmidt part No. 61476			2	1.7	1.0	20.0	75	61476
	P1	F		5330-844-0679		WASHER, NONMETALLIC: Kleinschmidt part No. 61477 (Authorized allowances based on a total of 6)			2	3.6	2.3	60.0	75	61477
	P1	F		5330-844-0681		WASHER, NONMETALLIC: Kleinschmidt part No. 61681 (Authorized allowances based on a total of 8)			2	4.2	2.7	80.0	75	61681
						GROUP VII STOP-START LEVERS								
				5305-207-8967		SETSCREW: (For Authorized allowances see Group II)			4	-	-	-	76	10209
				5340-282-0813		RING, RETAINING: (For Authorized allowances see Group IV)			2	-	-	-	76	10949
	X2	F				SHAFT: Kleinschmidt part No. 58690A			2	-	-	-	76	58690A
	X2	F				LEVER: Kleinschmidt part No. 58715			2	-	-	-	76	58715

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-601-4187		CAM, CONTROL: Sig dwg No. SM-B-71556			2	1.1	0.6	10.0	76	58727A
	P1	F		5815-601-4186		CAM, CONTROL: Sig dwg No. SM-B-71558			2	1.1	0.6	10.0	76	58729A
				5330-841-7418		FELT, MECHANICAL PREFORMED: (For Authorized allowances see Group VI)			4	-	-	-	76	61474
						GROUP VIII TIGHT-TAPE LEVER ASSEMBLY								
				5305-333-4262		SETSCREW: (For Authorized allowances see Group IV)			2	-	-	-	77	10203
				5305-207-8967		SETSCREW: (For Authorized allowances see Group II)			2	-	-	-	77	10209
	P1	F		5815-356-3353		COLLAR, SPACING: Sig dwg No. SC-B-69588			2	0.8	0.4	4.0	77	50531
	P1	F		5815-597-9494		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-157011-6			2	1.5	0.8	10.0	77	52193
	X2	F				SHAFT: Kleinschmidt part No. 58696A			2	-	-	-	77	58696A
	X2	F				LEVER: Kleinschmidt part No. 58716			2	-	-	-	77	58716
	X2	F				LEVER: Kleinschmidt part No. 58721			2	-	-	-	77	58721
	X2	F				LEVER: Kleinschmidt part No. 58724A			2	-	-	-	77	58724A
				5330-844-0681		WASHER, NONMETALLIC: (For Authorized allowances see Group VI)			4	-	-	-	77	61681
						GROUP IX CODE SENSING LEVERS AND ASSOCIATED PARTS								
				5305-521-8637		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group V)			2	-	-	-	78	10001
	P1	F		5305-297-7963		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10033			4	1.7	1.0	40.0	78	10033
	P1	F		5305-579-5304		SETSCREW: Kleinschmidt part No. 10204 (Authorized allowances based on a total of 8)			2	2.6	1.6	80.0	78	10204
	P1	F		5305-600-3171		SETSCREW: Kleinschmidt part No. 10239			4	1.7	1.0	40.0	78	10239
				5305-297-7721		SCREW, MACHINE: (For Authorized allowances see Group VI)			4	-	-	-	78	10398
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			10	-	-	-	78	10429
				5310-637-3944		WASHER, FLAT: (For Authorized allowances see Group IV)			2	-	-	-	78	10458
				5310-523-2035		NUT, SELF-LOCKING, HEXAGON: (For Authorized allowances see Group V)			4	-	-	-	78	10501

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5310-527-4494		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10513 (Authorized allowances based on a total of 10)			4	3.1	2.0	100.0	78	10513
				5340-282-0813		RING, RETAINING: (For Authorized allowances see Group IV)			2	-	-	-	78	10949
	P1	F		5340-205-6552		RING, RETAINING: Waldes-Kohinoor part No. 5133-25PPRP			10	5.0	2.0	20.0	78	10957
	P1	F		5310-521-8731		WASHER, THRUST: Sig dwg No. SC-B-69526			4	2.0	1.2	40.0	78	50827
	P1	F		5340-597-2288		SPRING, HELICAL EXTENSION: Kleinschmidt part No. 53153			2	1.5	0.8	6.0	78	53153
				5815-588-0954		SHIM: (For Authorized allowances see Group IV)			2	-	-	-	78	57201
				5815-588-0953		SHIM: (For Authorized allowances see Group IV)			2	-	-	-	78	57202
	P1	F		5815-594-3901		LEVER: Sig dwg No. SM-B-71495			2	1.5	0.8	8.0	78	58657
	P1	F		5815-594-3900		LEVER: Sig dwg No. SM-B-71496			2	1.5	0.8	8.0	78	58658
	P1	F		5815-594-3902		POST: Sig dwg No. SM-B-71497			2	1.7	1.0	4.0	78	58659
	P1	F		5815-601-4214		PLATE, MOUNTING: Kleinschmidt part No. 58665			2	1.5	0.8	4.0	78	58665
	P1	F		5815-601-4215		LEVER: Sig dwg No. SM-C-71779			2	1.5	0.8	8.0	78	58672A
	P1	F		5815-601-4216		LEVER: Sig dwg No. SM-B-71510			2	1.5	0.8	8.0	78	58673A
	P1	F		5815-602-5245		LEVER: Sig dwg No. SM-B-71511			2	1.5	0.8	8.0	78	58674A
	P1	F		5815-601-4217		LEVER: Sig dwg No. SM-B-71512			2	1.5	0.8	8.0	78	58675A
	P1	F		5815-601-4218		LEVER: Sig dwg No. SM-B-71513			2	1.5	0.8	8.0	78	58676A
	P1	F		5815-594-3879		CONTACT, ELECTRICAL: Kleinschmidt part No. 58677			10	5.0	2.0	30.0	78	58677
	P1	F		5815-594-3910		STUD, ECCENTRIC: Sig dwg No. SM-B-71517			2	1.1	0.6	4.0	78	58681
	P1	F		5815-601-4220		LEVER: Sig dwg No. SM-B-71518			2	1.1	0.6	8.0	78	58682A
	P1	F		5815-594-3913		LEVER: Sig dwg No. SM-B-71520			2	1.1	0.6	8.0	78	58684
	P1	F		5815-594-3912		PIN, STRAIGHT, HEADLESS: Sig dwg No. SM-B-71521			2	1.5	0.8	4.0	78	58685
	P1	F		5815-594-3919		LEVER: Sig dwg No. SM-B-71522			2	1.5	0.8	8.0	78	58686
	X2	F				CONTACT BLOCK: Kleinschmidt part No. 58772A			2	-	-	-	78	58772A
	X2	F				PLATE: Kleinschmidt part No. 58774			2	-	-	-	78	58774
				5815-594-3882		SPRING, HELICAL, COMPRESSION: (For Authorized allowances see Group IV)			10	-	-	-	78	58797
	P1	F		5815-594-3896		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71604-8			2	1.5	0.8	6.0	78	58798
	P1	F		5815-594-3897		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71604-4			2	1.5	0.8	6.0	78	58799
	P1	F		5815-594-3876		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71604-5			2	1.5	0.8	6.0	78	58800

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-594-3878		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71604-6			2	1.5	0.8	6.0	78	58801
	P1	F		5815-543-7184		SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 58802			10	4.2	2.7	30.0	78	58802
				5330-844-0679		WASHER, NONMETALLIC: (For Authorized allowances see Group VI)			4	-	-	-	78	61477
	P1	F		5330-840-6520		WASHER, NONMETALLIC: Kleinschmidt part No. 61480			2	1.7	1.0	20.0	78	61480
				5330-844-0681		WASHER, NONMETALLIC: (For Authorized allowances see Group VI)			2	-	-	-	78	61681
						GROUP X DISTRIBUTOR CLUTCH MAGNET, ARMATURE, AND LATCHING LEVERS								
	P1	F		5945-655-3961		ELECTROMAGNETIC, ACTUATOR SUBASSEMBLY: Sig dwg No. SM-B-196240 (Authorized allowances based on a total of 4)			2	2.0	1.2	20.0	79	L4
				5305-514-7728		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group III)			2	-	-	-	79	10006
	P1	F		5305-206-2476		SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C (Authorized allowances based on a total of 8)			4	2.6	1.6	80.0	79	10010
				5305-579-5304		SETSCREW: (For Authorized allowances see Group IX)			4	-	-	-	79	10204
				5305-207-8967		SETSCREW: (For Authorized allowances see Group II)			2	-	-	-	79	10209
	P1	F		5310-013-1197		WASHER, LOCK: Kleinschmidt part No. 10426 (Authorized Allowances based on a total of 18)			2	4.8	3.0	180.0	79	10426
				5310-595-5969		WASHER, FLAT: (For Authorized allowances see Group III)			2	-	-	-	79	10459
	P1	F		5310-595-5385		WASHER, FLAT: Kleinschmidt part No. 10467 (Authorized allowances based on a total of 22)			4	5.5	2.2	220.0	79	10467
				5340-282-0813		RING, RETAINING: (For Authorized allowances see Group IV)			4	-	-	-	79	10949
	P1	F		5305-524-5612		NUT, PLAIN, PLATE: Kleinschmidt part No. 50174			2	1.1	0.6	20.0	79	50174
	P1	F		5310-523-2141		SHIM: Sig dwg No. SC-B-69906			2	1.7	1.0	12.0	79	50831
	P1	F		5310-209-0098		WASHER, FLAT: Kleinschmidt part No. 51408			2	1.7	1.0	40.0	79	51408

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-392-7759		STUD: Kleinschmidt part No. 52318			2	1.1	0.6	4.0	79	52318
	P1	F		5815-601-4193		LEVER: Sig dwg No. SM-B-71533			2	1.1	0.6	8.0	79	58700A
	P1	F		5945 594-3939		ARMATURE, RELAY: Sig dwg No. SM-B-71537			2	1.5	0.8	4.0	79	58705A
	P1	F		5815-594-3889		STUD, ECCENTRIC: Sig dwg No. SM-B 71598			4	1.7	1.0	8.0		58775
	P1	F		5815-594-3941		SPRING, HELICAL, EXTENSION: Sig dwg No. SM-B-71604-3			2	1.5	0.8	6.0	79	58795
	P1	F		5815-655-8024		SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 60007 (Authorized allowances based on a total of 4)			2	2.0	1.2	12.0	79	60007
	P1	F		5815 877-4881		LEVER: Kleinschmidt part No. 60093			2	1.1	0.6	8.0	79	60093
						GROUP XI TAPE-READER CLUTCH MAGNET AND ARMATURE								
				5945-655-3961		ELECTROMAGNETIC, ACTUATOR SUBASSEMBLY: (For Authorized allowances see Group X)			2	-	-	-	80	L6
				5305-531 9034		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group II)			2	-	-	-	80	10003
				5305-206-2476		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group X)			4	-	-	-	80	10010
				5310-013-1197		WASHER, LOCK: (For Authorized allowances see Group X)			4	-	-	-	80	10426
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			4	-	-	-	80	10429
				5310-637-3944		WASHER, FLAT: (For Authorized allowances see Group IV)			4	-	-	-	80	10458
				5310-595-5385		WASHER, FLAT: (For Authorized allowances see Group X)			4	-	-	-	80	10467
	P1	F		5305-399-7868		SCREW, SHOULDER: Kleinschmidt part No. 51568			2	1.1	0.6	20.0	80	51568
	P1	F		5310-203 8937		WASHER, THRUST: Sig dwg No. SM B 157017-6			2	1.1	0.6	20.0	80	52430
	P1	F		5945-594-3885		ARMATURE, RELAY: Sig dwg No. SM-B-71539			2	1.5	0.8	4.0	80	58707A
	P1	F		5815 594-3886		ARM: Kleinschmidt part No. 58709			2	1.1	0.6	10.0	80	58709
	P1	F		5815-594-3887		SPRING, HELICAL, TORSION: Sig dwg No. SM-B-71562			2	1.7	1.0	2.0	80	58733
				5815-655-8024		SPRING, HELICAL, EXTENSION: (For Authorized allowances see Group X)			2	-	-	-	80	60007

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) (12) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D			AN/GGC-9 (continued)								
						GROUP XII TRANSMITTER PULSING SWITCHES								
	P1	F		5815-697-7901		CONTACT ASSEMBLY, ELECTRICAL: Kleinschmidt part No. 54325A			6	3.6	2.3	12.0	81	S32 S45 S45
				5305-753-4356		SCREW, CAP, SOCKET HEAD: (For Authorized Allowances see Group IV)			2	-	-	-	81	10004
	P1	F		5305-297-4377		SCREW, MACHINE: Kleinschmidt part No. 10109 (Authorized allowances based on a total of 32)			4	7.1	3.0	320.0	81	10109
	X1	F				SCREW, MACHINE: Kleinschmidt part No. 10374			24	-	-	-	81	10374
	X1	F				WASHER, LOCK: Kleinschmidt part No. 10408			12	-	-	-	81	10408
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			2	-	-	-	81	10429
				5310-013-1116		WASHER, LOCK: (For Authorized allowances see Group VI)			12	-	-	-	81	10432
	X1	F				TERMINAL ASSEMBLY: Kleinschmidt part No. 54318A			4	-	-	-		54318A
	X1	F				INSULATOR, PLATE: Kleinschmidt part No. 54324			4	-	-	-	81	54324
	X1	F				CONTACT SPRING: Kleinschmidt part No. 54333			2	-	-	-	81	54333
	X1	F				SPACER: Kleinschmidt part No. 54334			2	-	-	-		54334
	X1	F				INSULATOR, PLATE: Kleinschmidt part No. 54336			6	-	-	-	81	54336
	X1	F				SCREW, ADJUSTING: Kleinschmidt part No. 54338			2	-	-	-	81	54338
	X1	F				TERMINAL: Kleinschmidt part No. 54339			2	-	-	-	81	54339
	X1	F				SLEEVE: Kleinschmidt part No. 54340			2	-	-	-	81	54340
	X1	F				SCREW, ADJUSTING: Kleinschmidt part No. 54341			2	-	-	-	81	54341
	X1	F				STUD ASSEMBLY: Kleinschmidt part No. 54358A			2	-	-	-	81	54358A
	P1	F		5815-697-8000		PLATE, ADJUSTING: Kleinschmidt part No. 55376			8	3.1	2.0	80.0	81	55376
	P1	F		5310-600-3086		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 56182 (Authorized allowances based on a total of 40)			12	8.3	3.6	400.0	8	56182
	X1	F				NUT, PLAIN, HEXAGON: Kleinschmidt part No. 56183			2	-	-	-		56183
	X2	F				PLATE: Kleinschmidt part No. 58732			2	-	-	-	81	58732
	X2	F				BRACKET: Kleinschmidt part No. 58745			2	-	-	-	81	58745
	X2	F				SPACER: Kleinschmidt part No. 59495			4	-	-	-	81	59495
	X2	F				SPACER: Kleinschmidt part No. 59496			4	-	-	-	81	59496
	X2	F				SPACER: Kleinschmidt part No. 59497			4	-	-	-	81	59497
	X1	F				SHIM: Kleinschmidt part No. 60055			2	-	-	-	81	60055

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	X1	F				SHIM: Kleinschmidt part No. 60056			2	-	-	-	81	60056
	X1	F				SHIM: Kleinschmidt part No. 60057			2	-	-	-	81	60057
	X1	F				CONTACT, ELECTRICAL: Kleinschmidt part No. 60601A			4	-	-	-	81	60601A
						GROUP XIII TAPE READER, MARKABLE TRANSMITTER-DISTRIBUTOR								
				5305-521-8637		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group V)			2	-	-	-	82	10001
				5305-753-4356		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group IV)			2	-	-	-	82	10004
				5305-514-7728		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group III)			4	-	-	-	82	10006
	P1	F		5305-297-7966		SCREW, CAP, SOCKET HEAD: MIL-S-933B, type C, table XX1			2	1.1	0.6	20.0	82	10009
	P1	F		5305-805-6598		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10043			4	1.7	0.6	40.0	82	10043
	X2	F				SCREW, MACHINE: Kleinschmidt part No. 10053			2	-	-	-	82	10053
	P1	F		5305-576-5488		SETSCREW: Fed spec No. FF-S-103, type III, style No. 4			2	1.1	0.6	20.0	82	10208
				5305-207-8967		SETSCREW: (For Authorized allowances see Group II)			4	-	-	-	82	10209
				5305-297-7905		SETSCREW: (For Authorized allowances see Group V)			4	-	-	-	82	10210
				5310-013-1197		WASHER, LOCK: (For Authorized allowances see Group X)			4	-	-	-	82	10426
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			8	-	-	-	82	10429
				5310-637-3944		WASHER, FLAT: (For Authorized allowances see Group IV)			12	-	-	-	82	10458
				5310-595-5385		WASHER, FLAT: (For Authorized allowances see Group X)			2	-	-	-	82	10467
	P1	F		3110-155-9628		BEARING, BALL, ANNULAR: Fafnir part No. S1KDD7-FS160			4	2.0	1.2	12.0	82	10753
	P1	F		5340-600-3176		RING, RETAINING: Waldes-Kohinoor part No. 5133-14PPRP			2	2.0	1.2	4.0	82	11103
	P1	F		5815-575-3568		FELT, MECHANICAL, PREFORMED: Kleinschmidt part No. 50013			4	3.1	2.0	40.0	82	50013
	P1	F		5815-523-8656		DISK, CLUTCH: Sig dwg No. SC-B-69500			2	1.1	0.6	6.0	82	50200
	P1	F		5815-322-5581		COLLAR, DRIVE SHAFT: Kleinschmidt part No. 54928			2	1.5	0.8	10.0	82	54928
	P1	F		5815-340-3720		DISK, FRICTION: Sig dwg No. SM-B-186882			2	1.7	1.0	6.0	82	54931A
	P1	F		5815-663-3297		SPRING, HELICAL, COMPRESSION: Sig dwg No. SM-B-171533			2	1.1	0.6	6.0	82	54933

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODFL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-540-7270		GEAR, SPUR: Sig dwg No. SM-B-71302			2	1.5	0.8	6.0	82	58283A
	P1	F		5815-600-3005		COLLAR, SHAFT: Sig dwg No. SM-B-314726			2	1.7	1.0	8.0	82	56832A
	X2	F				PLATE: Kleinschmidt part No. 58604A			2	-	-	-	82	58604A
	P1	F		5815-594-3927		PAWL: Kleinschmidt part No. 58750A			2	1.5	0.8	10.0	82	58750A
	P1	F		5815-594-3921		CAM, CONTROL: Kleinschmidt part No. 58755			2	1.5	0.8	10.0	79	58755
	P1	F		5815-594-3925		SHIM: Kleinschmidt part No. 58756			6	1.5	0.8	18.0	82	58756
	P1	F		5815-594-3929		SLEEVE: Sig dwg No. SM-B-71582			2	1.1	0.6	6.0	82	58757A
	P1	F		5815-601-4223		CAM, CONTROL: Sig dwg No. SM-B-71585			2	1.1	0.6	10.0	82	58760A
	P1	F		5815-594-3922		CAM, CONTROL: Sig dwg No. SM B-71590			2	1.5	0.8	10.0	82	58765
	P1	F		5815-594-3924		CAM, CONTROL: Sig dwg No. SM-B-71591			2	1.1	0.6	10.0	82	58766
	P1	F		5815-594-3926		CAM, CONTROL: Sig dwg No. SM-B-71592			2	1.1	0.6	10.0	82	58767
	P1	F		5815-594 3923		CAM, CONTROL: Sig dwg No. SM-B-71593			2	1.1	0.6	10.0	82	58768
	P1	F		5815-594-3928		SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 58806			4	2.0	1.2	12.0	82	58806
	X1	F				BEARING: Kleinschmidt part No. 58836			2	-	-	-	82	58836
	P1	F		5815-701-1839		CAMSHAFT: Kleinschmidt part No. 60573A			2	1.1	0.6	6.0	82	60573A
	P1	F		5815 701-1837		CAM, CONTROL: Kleinschmidt part No. 60587A			2	1.1	0.6	10.0	82	60587A
						GROUP XIV DISTRIBUTOR								
	P1	F		5910-594-3965		CAPACITOR, FIXED, CERAMIC DIELECTRIC: Astron part No. AF-1324			2	1.5	0.8	6.0	83	C14
	P1	F		5305-558-9329		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10001-01 (Authorized allowances based on a total of 16)			4	4.2	2.7	160.0	83	10001-01
	X2	F				SCREW, MACHINE: Kleinschmidt part No. 10014			2	-	-	-	83	10014
	P1	F		5305-292-6744		SCREW, MACHINE: Fed spec FF-S-92, type 1, style 8S			4	1.7	1.0	40.0	83	10335
				5310-209-3990		WASHER, LOCK: (For Authorized allowances see Group III)			4	-	-	-	83	10403
	X1	F				WASHER, LOCK: Kleinschmidt part No. 10408			6	-	-	-		10408
				5310-013-1197		WASHER, LOCK: Kleinschmidt part No. 10426 (For Authorized Allowances see Group X)			4	-	-	-	83	10426
				5301-013-1116		WASHER, LOCK: Br and Str part No. 92769 (For Authorized allowances see Group VI)			28	-	-	-	83	10432

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATION FIGURE NO.	(12) ILLUSTRATION ITEM NO.
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5310-543-4540		WASHER, FLAT: Kleinschmidt part No. 10490			2	1.1	0.6	20.0	83	10490
	P1	F		5310-221-4916		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10517 (Authorized allowances based on a total of 14)			6	4.2	2.7	140.0	83	10517
				5340-282-0813		RING, RETAINING: Waldes-Kohinoor part 5133-18PPRP (For Authorized allowances see Group IV)			4	-	-	-	83	10949
	P1	F		5340-286-9467		RING, RETAINING: Waldes-Kohinoor part No. 5100-28PP			2	1.7	1.0	4.0	83	10971
	P1	F		5340-282-0784		RING, RETAINING: Waldes-Kohinoor part No. 5100-18C			10	5.0	2.0	20.0	83	11011
	P1	F		5940-642-4428		TERMINAL LUG: Thomas and Betts part No. STA-KON-V33 (Authorized allowances based on a total of 5)			2	2.0	1.2	25.0	83	20379
	P1	F		5940-346-1713		TERMINAL LUG: Aircraft Marine Products part No. 34104			2	1.1	0.6	10.0	83	20860
	X1	F				INSULATOR, PLATE: Kleinschmidt part No. 54324			2				83	54324
	X1	F				PLATE: Kleinschmidt part No. 54334			6	-	-		83	54334
	X1	F				INSULATOR, PLATE: Kleinschmidt part No. 54336			18	-	-	-	83	54336
	X1	F				SCREW, ADJUSTING: Kleinschmidt part No. 54338			4	-	-	-	83	54338
	X1	F				SCREW, HOLDER, ADJUSTING: Kleinschmidt part No. 54341			4	-	-		83	54341
	X1	F				STUD: Kleinschmidt part No. 54358A			6	-	-	-	83	54358A
	X1	F				SPRING, LEAF: Kleinschmidt part No. 54768			4			-	83	54768
	X1	F				CONTACT, ELECTRICAL: Kleinschmidt part No. 54769A			4	-		-	83	54769A
	X1	F				INSULATOR: Kleinschmidt part No. 54781			4	-	-	-	83	54781
				5310-600-3086		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 56182 (For Authorized allowances see Group XII)			28	-	-		83	56182
	X1	F				NUT, PLAIN, HEXAGON: Kleinschmidt part No. 56183			6		-	-	83	56183
	P1	F		5815-886-9626		BLOCK, MOUNTING: Sig dwg No. SM-C-71774			2	0.8	0.4	6.0	83	58603A
	P1	F		5815-633-0372		CONTACT, PLUNGER: Kleinschmidt part No. 58611			10	10.0	4.2	20.0	83	58611
	P1	F		5815-633-0395		PLUNGER, SWITCH: Kleinschmidt part No. 58612			2	3.1	2.0	4.0	83	58612
	P1	F		5815-633-0368		FELT, MECHANICAL, PREFORMED: Kleinschmidt part No. 58614			2	2.0	1.2	6.0	83	58614
	X2	F				PLATE: Kleinschmidt part No. 58615			2	-	-	-	83	58615
	X1	F				PLATE: Kleinschmidt part No. 58616			6		-	-	83	58616
	X1	F				INSULATOR, BUSHING: Kleinschmidt part No. 58617			2	-		-	83	58617
	X1	F				WASHER: Kleinschmidt part No. 58620			2		-	-	83	58620

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	(12)
A	B	C	D							3RD	4TH	5TH	FIGURE NO	ITEM NO
						AN/GGC-9 (continued)								
	X1	F				TERMINAL PLATE: Kleinschmidt part No. 58621A			2	-	-	-	83	58621A
	X1	F				TERMINAL PLATE: Kleinschmidt part No. 58622A			2	-	-	-	83	58622A
	X1	F				INSULATOR, BUSHING: Kleinschmidt part No. 58623			4	-	-	-	83	58623
	M	F				LEAD, ELECTRICAL: Kleinschmidt part No. 58660A			2	-	-	-	83	58660A
	P1	F		5815-557-4925		CONTACT ASSEMBLY: Kleinschmidt part No. 58784A			10	4.2	2.7	20.0	83	58784A
	P1	F		5815-557-4926		CONTACT ASSEMBLY: Kleinschmidt part No. 58785A			2	1.5	0.8	8.0	83	58785A
	P1	F		5815-886-9628		TERMINAL STACK: Kleinschmidt part No. 58786A			2	1.5	0.8	6.0	83	58786A
	X1	F				TERMINAL, PLATE: Kleinschmidt part No. 59472A			2	-	-	-	83	59472A
	X1	F				INSULATOR, BUSHING: Kleinschmidt part No. 59474			2	-	-	-	83	59474
	X2	F				SHIM: Kleinschmidt part No. 59495			2	-	-	-	83	59495
	X2	F				SHIM: Kleinschmidt part No. 59496			2	-	-	-	83	59496
	X2	F				SHIM: Kleinschmidt part No. 59497			2	-	-	-	83	59497
	X1	F				SHIM: Kleinschmidt part No. 60055			4	-	-	-	83	60055
	X1	F				SHIM: Kleinschmidt part No. 60056			4	-	-	-	83	60056
	X1	F				SHIM: Kleinschmidt part No. 60057			4	-	-	-	83	60057
	X1	F				CONTACT, ELECTRICAL: Kleinschmidt part No. 60601A			4	-	-	-	83	60601A
						GROUP XV MISCELLANEOUS TRANSMITTER COMPONENTS								
	P1	F		5815-594-3890		FILTER, RADIO INTERFERENCE: Sig dwg No. SM-B-71383 (Authorized allowances based on a total of 3)			1	1.5	0.8	6.0	84	58440-FL8
	P1	F		5930-548-4893		SWITCH, SENSITIVE: Microswitch part No. BZ-RW061			4	3.6	2.3	20.0	84	S30 S42
				5305-558-9329		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group XIV)			4	-	-	-	84	10001-01
				5305-531-9034		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10003 (For Authorized allowances see Group II)			2	-	-	-	84	10003
				5305-753-4356		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10004 (For Authorized allowances see Group IV)			4	-	-	-	84	10004
	P1	F		5305-721-5430		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10008 (Authorized allowances based on a total of 8)			4	2.6	1.6	80.0	84	10008
	P1	F		5815-600-3175		SCREW, MACHINE: Kleinschmidt part No. 10110			6	2.0	1.2	60.0	84	10110

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
				5305-207-8967		SETSCREW: Kleinschmidt part No. 10209 (For Authorized allowances see Group II)			2	-	-	-	84	10209
	P1	F		5305-207-5583		SCREW, MACHINE: Kleinschmidt part No. 10385			2	1.1	0.6	20.0	84	10385
				5310-209-3990		WASHER, LOCK: MS35333-71 (For Authorized allowances see Group III)			14	-	-	-	84	10403
				5310-013-1197		WASHER, LOCK: Kleinschmidt part No. 10426 (For Authorized allowances see Group X)			4	-	-	-	84	10426
				5310-209-4471		WASHER, LOCK: Kleinschmidt part No. 10429 (For Authorized allowances see Group II)			8	-	-	-	84	10429
	P1	F		5310-227-6574		WASHER, FLAT: Kleinschmidt part No. 10450 (Authorized allowances based on a total of 6)			2	2.0	1.2	60.0	84	10450
	P1	F		5310-537-8315		WASHER, FLAT: Kleinschmidt part No. 10457			4	1.7	1.0	40.0	84	10457
				5310-637-3944		WASHER, FLAT: Kleinschmidt part No. 10458 (For Authorized allowances see Group IV)			10	-	-	-	84	10458
	P1	F		5310-551-7541		NUT, SELF-LOCKING, HEXAGON: Esna part No. F22NTM60 (Authorized allowances based on a total of 7)			2	7.5	3.1	70.0	84	10500
				5310-527-4494		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10513 (For Authorized allowances see Group IX)			2	-	-	-	84	10513
	X2	F				DOWEL: Kleinschmidt part No. 10917			2	-	-	-	84	10917
				5340-282-0813		RING, RETAINING: Waldes Kohinoor part No. 5133-18PPRP (For Authorized allowances see Group IV)			2	-	-	-	84	10949
	X2	F				CLAMP: Kleinschmidt part No. 20516			2	-	-	-	84	20516
	X2	F				CLAMP: Kleinschmidt part No. 20519			2	-	-	-	84	20519
	X2	F				CLAMP: Kleinschmidt part No. 20521			2	-	-	-	84	20521
	X2	F				CLAMP: Kleinschmidt part No. 20888			2	-	-	-	84	20888
	P1	F		5815-597-2285		SPRING, HELICAL, EXTENSION: Kleinschmidt part No. 53149			2	1.5	0.8	6.0	84	53149
	P1	F		5815-588-0944		LEVER ASSEMBLY: Sig dwg No. SM-B-314761			2	1.5	0.8	8.0	84	57206A
	X2	F				LEAD, ELECTRICAL: Kleinschmidt part No. 58660A			2	-	-	-	84	58660A
	X2	F				FRAME: Kleinschmidt part No. 58687A			2	-	-	-	84	58687A
	X2	F				BEARING, SUPPORT: Kleinschmidt part No. 58713			2	-	-	-	84	58713
	X2	F				PLATE: Kleinschmidt part No. 58722A			2	-	-	-	84	58722A
	X2	F				STUD: Kleinschmidt part No. 58839			2	-	-	-	84	58839
				5330-841-7418		FELT, MECHANICAL PREFORMED: (For Authorized allowances see Group VI)			2	-	-	-	84	61474

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
						GROUP XVI TAPE-READER, MARKABLE TRANSMITTER-DISTRIBUTOR MOTOR								
	P1	H		5910-666-8278		CAPACITOR, FIXED, PAPER DIELECTRIC: 100,000 uuf; MIL-I-16557; type CP04A1KF104L			4	-	1.2	12.0	85	20212 C16 C17
	P1	F		5305-207-5576		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10026			8	1.7	1.0	80.0	85	10026
				5305-514-6805		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group III)			2	-	-	-	85	10055
	P1	H		5305-656-0181		SCREW, MACHINE: Kleinschmidt part No. 10172			16	-	2.7	160.0	85	10172
				5305-579-5304		SETSCREW: Kleinschmidt part No. 10204 (For Authorized allowances see Group IX)			2	-	-		85	10204
	P1	F		5815-600-3042		SCREW, MACHINE: Kleinschmidt part No. 10321			4	1.7	1.0	4.0	85	10321
				5310-543-2739		WASHER, LOCK: (For Authorized allowances see Group I)			2	-	-	-		10404
	P1	F		5310-261-6197		WASHER, LOCK: Shakeproof part No. 4010-1400 (Authorized allowances based on a total of 8)			2	2.6	1.6	80.0	85	10406
				5310-209-3868		WASHER, LOCK: (For Authorized allowances see Group I)			4	-	-	-		10412
	P1	F		5310-198-3711		WASHER, LOCK: Kleinschmidt part No. 10431 (Authorized allowances based on a total of 36)			8	7.5	3.1	360.0	85	10431
	P1	H		5310-198-3724		WASHER, LOCK: Kleinschmidt part No. 10444			16	-	2.7	160.0	85	10444
				5310-595-5969		WASHER, FLAT: (For Authorized allowances see Group III)			2	-	-	-	85	10459
	P1	F		5310-596-7580		WASHER, FLAT: Kleinschmidt part No. 10481			8	1.7	1.0	80.0	85	10481
	P1	F		5310-546-6858		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10507			2	1.1	0.6	20.0	85	10507
	P1	H		3110-542-0120		BEARING, BALL, ANNULAR: Fafnir part No. 38KVTD			2	-	0.8	4.0	85	10760
	P1	H		3110-156-4088		BEARING, BALL, ANNULAR: New Departure part No. WC87038			2	-	0.8	4.0	85	10765
	P1	F		5315-243-1173		PIN, COTTER: Kleinschmidt part No. 10800			4	3.1	2.0	40.0	85	10800
	P1	F		5310-883-9487		NUT, SELF-LOCKING, HEXAGON: Esna part No. F22NM60			2	2.0	1.2	20.0	85	10840

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	(11) FIGURE NO	(12) ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	H		5815-682-1511		SPRING, HELICAL, EXTENSION: Howard part No. SPR71			4	-	1.2	12.0	85	11033
	M	F				INSULATION SLEEVING, ELECTRICAL: Kleinschmidt part No. 20703			1	-	-	-	85	20703
				5940-231-4430		TERMINAL, LUG: (For Authorized allowances see Group III)			8	-	-	-	85	20706
				5940-231-4428		TERMINAL, LUG: (For Authorized allowances see Group III)			2		-	-	85	20708
	P1	H		5940-553-2719		TERMINAL, LUG: Aircraft Marine Products part No. 31145			2	-	0.6	10.0	85	20899
	P1	H		5305-514-7484		SCREW, MACHINE: Sig dwg SC-B-69671			2	-	0.6	20.0	85	50207
	P1	F		5815-351-7895		GEAR, SPUR: Sig dwg No. SC-B-69786			2	1.5	0.8	6.0	85	50278A
	P1	F		6110-242-4631		CONTACT, ELECTRICAL: Kleinschmidt part No. 50281A			2	2.0	1.2	6.0	85	50281A
	P1	F		5970-351-7898		INSULATOR, BUSHING: Sig dwg No. SC-B-69779			2	1.1	0.6	6.0	85	50293
	X2	F				SCREW, ADJUSTING: Kleinschmidt part 50299			2		-	-	85	50299
	X2	F				LEVER: Kleinschmidt part No. 50301			2	-	-	-	85	50301
	P1	F		5805 351-7900		PIN: Sig dwg No. SC-B-69783			2	1.5	0.8	6.0	85	50302
	X2	F				DISK, STROBOSCOPE: Kleinschmidt part No. 50303A			2	-	-		85	50303A
	X2	F				COVER, ELECTRIC MOTOR GOVERNOR: Kleinschmidt part No. 50311			2	-	-		85	50311
	P1	F		5815-598-4964		SPRING, HELICAL, EXTENSION: Sig dwg No. SC-B-69337-7			2	1.5	0.8	6.0	85	50334
	P1	F		6110-636-7940		CONTACT, ELECTRICAL: Sig dwg No. SC-B 69784			2	1.7	1.0	6.0	85	50338
	P1	F		5315-547-9203		PIN, STRAIGHT, HEADLESS: Kleinschmidt part No. 50359			2	1.7	1.0	6.0	85	50359
	P1	F		5330-521-0612		FELT, MECHANICAL, PREFORMED: Sig dwg No. SC-B-69683			4	3.1	2.0	12.0	85	50949
	P	F		5977-232-5279		BRUSH, ELECTRICAL, CONTACT: Sig dwg No. SC-D-61023-1			2	29.5	14.5	20.0	85	51154
	X2	F				CAP, ELECTRICAL: Kleinschmidt part No. 51171			1	-	-		85	51171
	X2	F				BUSHING, ELECTRICAL CONDUCTOR: Kleinschmidt part No. 51172			1	-		-	85	51172
	P1	F		6110 557-3970		GOVERNOR, MOTOR: Sig dwg No. SC C-70500			2	1.1	0.6	4.0	85	51215A
	X2	F				BRUSH, RING, GOVERNOR: Kleinschmidt part No. 51249A			2	-	-	-	85	51249A
	P1	F		5815-527-0231		SHIM: Kleinschmidt part No. 51509			4	1.7	1.0	12.0	85	51509

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-527-0230		SHIM: Kleinschmidt part No. 51510			4	1.7	1.0	12.0	85	51510
	P	F		5977-521-8272		BRUSH, ELECTRICAL, CONTACT: Sig dwg No. SM-B-314890			4	53.4	27.6	40.0	85	51543A
	P1	F		5815-597-8320		SPRING, HELICAL, COMPRESSION: Sig dwg No. SC-B-70501			2	1.5	0.8	6.0	85	51855
	P1	F		5815-697-7889		GEAR, WORM: (60 wpm) Sig dwg SM-B-196132			2	1.7	1.0	6.0	85	52105
						OR								
	P1	F		5815-534-3010		GEAR, WORM: (100 wpm) Sig dwg SM-B-196134			2	1.7	1.0	6.0		52108
	P1	F		5815-521-1401		WORM, GOVERNOR ADJUSTMENT: Sig dwg No. SM-B-171471			2	1.7	1.0	6.0	85	56555A
	A	F				MOTOR, UNIVERSAL: Howard			2	-	-	-	85	59689A
	X2	H				END BELL: Kleinschmidt part No. 60490			2	-	-	-	85	60490
	X2	H				RETAINER, BEARING: Kleinschmidt part No. 60491			2	-	-	-	85	60491
	X2	H				ARMATURE, MOTOR: Kleinschmidt part No. 60492A			2	-	-	-	85	60492A
	P1	H		5340-656-0160		SHIM: Kleinschmidt part No. 60493			4	-	1.0	12.0	85	60493
	X2	H				SCREW, MACHINE: Kleinschmidt part No. 60494			16	-	-	-	85	60494
	P1	F		5977-688-4398		CAP, ELECTRICAL: Howard part No. C-170			4	1.7	1.0	12.0	85	60495
	P1	F		5977-686-4263		CAP, ELECTRICAL: Howard part No. BHC-127			4	1.7	1.0	12.0	85	60496
	X2	H				WINDING, MOTOR: Kleinschmidt part No. 60499			2	-	-	-	85	60499
	X2	H				RETAINER, BEARING: Kleinschmidt part No. 60500			2	-	-		85	60500
	P1	H		5310-656-0100		WASHER, SPRING TENSION: Kleinschmidt part No. 60501			4	-	1.0	40.0	85	60501
	P1	F		5977-686-5195		BRUSH, ELECTRICAL, CONTACT: Kleinschmidt part No. 60503			4	53.4	27.6	40.0	85	60503
	X2	H				END BELL: Kleinschmidt part No. 60505			2	-	-	-	85	60505
	P1	H		5340-682-2171		SHIM: Kleinschmidt part No. 60506			4	-	1.0	12.0	85	60506
	P1	F		6105-635-0127		MOTOR, UNIVERSAL: Kleinschmidt part No. 61109A			2	1.1	0.6	4.0	85	61109A
	P1	F		5815-826-1611		SHIM: Kleinschmidt part No. 61413			2	1.1	0.6	6.0	85	61413

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	H		5310-285-8459		SHIM: Kleinschmidt part No. 62063			4	-	1.0	12.0	85	62063
	P1	H		5310-285-4451		SHIM: Kleinschmidt part No. 62064			4	-	1.0	12.0	85	62064
	P1	H		5310-865-5156		SHIM: Kleinschmidt part No. 62065			4	-	1.0	12.0	85	62065
						GROUP XVII NUMBERING BASE COVERS								
				5305-297-4377		SCREW, MACHINE: (For Authorized allowances see Group XII)			12	-	-	-	86	10109
	P1	F		5305-537-8272		SCREW, MACHINE: Kleinschmidt part No. 10122 (Authorized allowances based on a total of 5)			3	2.0	1.2	50.0	86	10122
				5305-207-5582		SCREW, MACHINE: (For Authorized allowances see Group III)			1	-	-	-	86	10393
	P1	F		5305-206-3537		SCREW, MACHINE: Kleinschmidt part No. 10397 (Authorized allowances based on a total of 12)			4	4.2	2.7	120.0	86	10397
	P1	F		5305-582-6156		SCREW, MACHINE: Kleinschmidt part No. 10399 (Authorized allowances based on a total of 18)			6	3.1	2.0	180.0	86	10399
				5310-209-3871		WASHER, LOCK: (For Authorized allowances see Group III)			6	-	-	-	86	10430
				5310-198-3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			4	-	-	-	86	10431
				5310-209-0574		WASHER, FLAT: (For Authorized allowances see Group III)			6	-	-	-	86	10454
	P1	F		5310-637-3945		WASHER, FLAT: Kleinschmidt part No. 10464 (Authorized allowances based on a total of 12)			4	3.6	2.3	120.0	86	10464
				5310-551-7541		NUT, SELF-LOCKING, HEXAGON: (For Authorized allowances see Group XV)			3	-	-	-	86	10500
	P1	F		5310-208-6478		NUT, SELF-LOCKING, HEXAGON: Esna part No. F22NTM02 (Authorized allowances based on a total of 7)			3	4.2	2.7	70.0	86	10525
	P1	F		5310-208-2727		NUT, SELF-LOCKING, HEXAGON: Esna part No. F22NM40			12	3.6	2.3	120.0	86	10540
	X2	F				CHAIN: Kleinschmidt part No. 11031			1	-	-	-	86	11031
	P1	F		5330-819-2759		BUMPER, PLASTIC: Southco part No. 58-41-0-63 (Authorized allowances based on a total of 6)			4	3.1	2.0	18.0	86	11080

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO.
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5305-655-7365		THUMBSCREW: Southco part No. 58-11-109-56 (Authorized allowances based on a total of 6)			4	3.1	2.0	60.0	86	11081
	P1	F		5355-887 6096		KNOB: National Lock Co part No. 63X301BNCHR4			1	0.8	0.4	3.0	86	11086
	X2	F				CLAMP: Kleinschmidt part No. 20521			1			-	86	20521
	X2	F				TERMINAL LUG: Kleinschmidt part No. 20954			1	-	-		86	20954
				5310 220 6420		WASHER, FLAT: (For Authorized allowances see Group VI)			12	-		-	86	50320
	X2	F				FELT: Kleinschmidt part No. 55986			12		-		86	55986
	P1	F		5340-576 8757		STUD, FRICTION CATCH: Kleinschmidt part No. 58299			1	1.0	0.5	5.0	86	58299
	X2	F				HANDLE, BOW: Kleinschmidt part No. 58370			2	-		-	86	58370
	X2	F				COVER, ELECTRICAL CONTROL BOX: Kleinschmidt part No. 58412			1	-	-	-	86	58412
	P1	F		5815-883-8347		WINDOW, OBSERVATION: Kleinschmidt part No. 58416			2	1.1	0.6	80.0	86	58416
	X2	F				PANEL: Kleinschmidt part No. 58417A			1	-		-	86	58417A
	X2	F				DOOR: Kleinschmidt part No. 58421			1	-	-	-	86	58421
	X2	F				HINGE, BUTT: Kleinschmidt part No. 58422			1	-	-	-	86	58422
	X2	F				LINK: Kleinschmidt part No. 60009			1	-		-	86	60009
						GROUP XVIII NUMBERING BASE								
	P1	F		5935-201-2352		CONNECTOR, PLUG, ELECTRICAL: Amphenol part No. 26-4101-24P			4	3.1	2.0	12.0	87	P1 P2 P3 P4
				5305-721-5430		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group XV)			4	-	-	-	87	10008
				5305-721-4490		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group VI)			2	-	-	-	87	10038
	P1	F		5305-650-4551		SCREW, MACHINE: Kleinschmidt part No. 10275			4	1.7	1.0	40.0	87	10275
				5305-206-3537		SCREW, MACHINE: (For Authorized allowances see Group XVII)			2		-		87	10397
				5305 582-6156		SCREW, MACHINE: (For Authorized allowances see Group XVII)			6	-		-	87	10399
				5310-209-3871		WASHER, LOCK: (For Authorized allowances see Group III)			7	-			87	10430
				5310-198 3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			8	-	-	-	87	10431
				5310-013-1116		WASHER, LOCK: (For Authorized allowances see Group VI)			2	-	-	-	87	10432

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	(11) FIGURE NO	(12) ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
				5310-208-6478		NUT, SELF-LOCKING, HEXAGON: (For Authorized allowances see Group XVII)			4	-	-	-	87	10525
	P1	F		5310 264-6799		NUT, SELF-LOCKING, HEXAGON: Esna part No. F52NTE048			2	1.5	0.8	20.0	87	10534
	P1	F		5305 616-3743		SCREW, MACHINE: Kleinschmidt part No. 11200 (Authorized allowances based on a total of 12)			4	3.6	2.3	120.0	87	11200
	X2	F				CLAMP, LOOP: Kleinschmidt part No. 20530			6	-			87	20530
	P1	F		5815-877-4880		ROLLER, GROOVED: Kleinschmidt part No. 58372			4	2.0	1.2	8.0	87	58372
	P1	F		5340-888-3135		SPACER, SLEEVE: Kleinschmidt part No. 58373			4	1.5	0.8	12.0	87	58373
	P1	F		5815-877-4879		STUD, MOUNTING: Kleinschmidt part No. 58375			2	1.5	0.8	4.0	87	58375
	X2	F				PLATE, BASE: Kleinschmidt part No. 58411			1	-	-	-	87	58411
	X2	F				DRAWER, ELECTRICAL EQUIPMENT, CABINET: Kleinschmidt part No. 58428A			1	-	-	-	87	58428A
	X2	F				BRACKET, ANGLE: Kleinschmidt part No. 58429			4	-			87	58429
	X2	F				BRACKET: Kleinschmidt part No. 58430			1	-	-		87	58430
	A	F				CHANNEL "A" ASSEMBLY: Kleinschmidt part No. 58431A			1	-	-	-	87	58431A
	A	F				CHANNEL "B" ASSEMBLY: Kleinschmidt part No. 58448A			1	-	-	-	87	58448A
	P1	F		5310-576 1140		WASHER, THRUST: Kleinschmidt part No. 58456			4	2.0	1.2	40.0	87	58456
						GROUP XIX UPPER NUMBERING ASSEMBLY								
				5815-594-3890		FILTER, RADIO INTERFERENCE: (For Authorized allowances see Group XV)			1	-		-	88	FL6
	P1	F		5915-594-3972		FILTER, RADIO INTERFERENCE: Sig dwg No. SM-B-71388 (Authorized allowances based on a total of 2)			1	1.5	0.8	6.0		FL10
	P1	H		5805-657-9942		SWITCH, STEPPING: Kleinschmidt part No. 58439A (Authorized allowances based on a total of 2)			1		0.6	10.0	88	NSA
	P1	H		5805-657-9943		SWITCH, STEPPING: Kleinschmidt part No. 58437A (Authorized allowances based on a total of 6)			3	-	1.6	30.0	88	RHA RTA RUA
	P1	F		5930-655-3705		CONTACT, ASSEMBLY, ELECTRICAL: Automatic Electric part No. PP2907-1 (p/o Switches RHA, RTA, RUA) (Authorized allowances based on a total of 6)			3	4.2	2.7	12.0	88	PP2907-1

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5805-503-2571		ARMATURE, TELEPHONE SWITCH: Automatic Electric part No. D71614A (p/o Switches RHA, RTA, RUA) (Authorized allowances based on a total of 6)			3	4.2	2.7	12.0	88	D71614A
	P1	F		5950-646-3241		COIL, TELEPHONE SWITCH: Automatic Electric part No. D283560A (p/o switches RHA, RTA, RUA) (Authorized allowances based on a total of 6)			3	4.2	2.7	18.0	88	D283560A
	P1	F		5805-503-2570		ARMATURE, TELEPHONE SWITCH: Automatic Electric part No. D71574A (p/o switch stepping NSA) (Authorized allowances based on a total of 2)			1	2.0	1.2	4.0	88	D71574A
	P1	F		5950-646-3240		COIL, TELEPHONE SWITCH: Automatic Electric part No. D283996-A (p/o switch stepping NSA) (Authorized allowances based on a total of 2) Item No. D283996-A			1	2.0	1.2	6.0	88	See desc column
				5305-558-9329		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group XIV)			4	-	-	-	88	10001-01
				5305-531-9034		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group II)			5	-	-	-	88	10003
	P1	F		5305-559-1212		SCREW, MACHINE: Kleinschmidt part No. 10093 (Authorized allowances based on a total of 9)			3	3.1	2.0	90.0	88	10093
				5305-206-3537		SCREW, MACHINE: (For Authorized allowances see Group XVII)			1	-	-		88	10397
				5305-582-6156		SCREW, MACHINE: (For Authorized allowances see Group XVII)			3	-	-	-	88	10399
				5310-209-3990		WASHER, LOCK: (For Authorized allowances see Group II)			4	-	-		88	10403
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			5	-	-	-	88	10429
				5310-209-3871		WASHER, LOCK: (For Authorized allowances see Group III)			6	-	-	-	88	10430
				5310-198-3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			5	-	-	-	88	10431
				5310-637-3945		WASHER, FLAT: (For Authorized allowances see Group XVII)			2	-	-	-	88	10464
				5310-595-5385		WASHER, FLAT: (For Authorized allowances see Group X)			3	-	-	-	88	10467
				5305-616-3743		SCREW, MACHINE: (For Authorized allowances see Group XVIII)			4	-	-	-	88	11200
	X2	F				CLAMP, LOOP:			2	-		-	88	20514
	X2	F				CLAMP, LOOP: Kleinschmidt part No. 20518			3	-	-	-	88	20518
	X2	F				CLAMP, LOOP: Kleinschmidt part No. 20526			3	-	-	-	88	20526
	X2	F				CLAMP, LOOP:			1	-	-	-	88	20530

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATIONS FIGURE NO	(12) ILLUSTRATIONS ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5815-692-6837		SPACER, SLEEVE: Sig dwg No. SM-B-157014-1 (Authorized allowances based on a total of 6)			3	2.0	1.2	12.0	88	52157
	X2	F				BRACKET, ANGLE: Kleinschmidt part No. 58432A			1	-	-	-	88	58432A
	X2	F				BRACKET: Kleinschmidt part No. 58434A			1	-	-	-	88	58434A
	X2	F				BRACKET: Kleinschmidt part No. 58436			1	-	-	-	88	58436
	A	F				SWITCH, ASSEMBLY: Kleinschmidt part No. 58442A			1	-	-	-	89	58442A
						GROUP XX LOWER NUMBERING ASSEMBLY								
				5815-594-3890		FILTER, RADIO INTERFERENCE: (For Authorized allowances see Group XV)			1	-	-	-	89	FL7
				5915-594-3972		FILTER, RADIO INTERFERENCE: (For Authorized allowances see Group XIX)			1	-	-	-	89	FL11
				5805-657-9942		SWITCH, STEPPING: (For Authorized allowances see Group XIX)			1	-	-	-	89	NSB
				5805-657-9943		SWITCH, STEPPING: (For Authorized allowances see Group XIX)			3	-	-	-	89	RHB RTB RUB
				5930-655-3705		CONTACT, ASSEMBLY, ELECTRICAL: (p/o switches RHB, RTB, RUB) (For Authorized allowances see Group XIX)			3	-	-	-	89	PP2907-1
				5805-503-2571		ARMATURE, TELEPHONE SWITCH: (p/o switches RHB, RTB, RUB) (For Authorized allowances see Group XIX)			3	-	-	-	89	D71614A
				5950-646-3241		COIL, TELEPHONE SWITCH: (p/o switches RHB, RTB, RUB) (For Authorized allowances see Group XIX) Item No. D283996-A			3	-	-	-	89	See desc column
				5805-503-2570		ARMATURE, TELEPHONE SWITCH: (p/o switch stepping NSB) (For Authorized allowances see Group XIX)			1	-	-	-	89	D71614A
				5950-646-3240		COIL, TELEPHONE SWITCH: (p/o switch stepping NSB) (For Authorized allowances see Group XIX)			1	-	-	-	89	D283560A
				5305-558-9329		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group XIV)			4	-	-	-	89	10001-01
				5305-531-9034		SCREW, CAP, SOCKET HEAD: (For Authorized allowances see Group II)		*	6	-	-	-	89	10003
				5305-559-1212		SCREW, MACHINE: (For Authorized allowances see Group XIX)			3	-	-	-	89	10093

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	(11) FIGURE NO	(12) ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
				5305-206-3537		SCREW, MACHINE: (For Authorized allowances see Group XVII)			1	-	-	-	89	10397
				5305-582-6156		SCREW, MACHINE: (For Authorized allowances see Group XVII)			3	-		-	89	10399
				5310-209-3990		WASHER, LOCK: (For Authorized allowances see Group III)			4	-	-	-	89	10403
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			7	-	-	-	89	10429
				5310-209-3871		WASHER, LOCK: (For Authorized allowances see Group III)			6	-	-	-	89	10430
				5310-198-3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			5	-	-	-	89	10431
				5310-637-3945		WASHER, FLAT: (For Authorized allowances see Group XVII)			2	-		-	89	10464
				5310-595-5385		WASHER, FLAT: (For Authorized allowances see Group X)			3	-	-	-	89	10467
				5305-616-3743		SCREW, MACHINE: (For Authorized allowances see Group XVIII)			4	-	-	-	89	11200
	X2	F				CLAMP, LOOP:			2	-	-	-	89	20514
	X2	F				CLAMP, LOOP:			2	-	-	-	89	20516
	X2	F				CLAMP, LOOP:			3	-	-	-	89	20518
	X2	F				CLAMP, LOOP:			3	-		-		20526
	X2	F				CLAMP, LOOP:			1	-		-	89	20530
				5815-692-6837		SPACER, SLEEVE: (For Authorized allowances see Group XIX)			3	-	-	-	89	52157
	X2	F				BRACKET:			1	-	-	-	89	58436
	A	F				SWITCH, ASSEMBLY: Kleinschmidt part No. 58442A			1	-	-		88	58442A
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 58449A			1		-	-		58449A
	X2	F				BRACKET: Kleinschmidt part No. 58450A			1	-	-	-		58450A
	A	F				SWITCH, ASSEMBLY: Kleinschmidt part No. 58452A			1	-	-			58452A
						GROUP XXI UPPER SUBPANEL ASSEMBLY								
	P1	F		5815-594-3975		SWITCH, LEVER: Kleinschmidt part No. 58445 (Authorized allowances based on a total of 2)			1	2.0	1.2	10.0	90	S34
	P1	F		5930-617-2993		SWITCH, PUSH: Kleinschmidt part No. 20132 (Authorized allowances based on a total of 6)			3	4.2	2.7	30.0	90	S36 S38 S40
				5305-537-8272		SCREW, MACHINE: (For Authorized allowances see Group XVII)			1	-	-	-	90	10122

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS. MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS FIGURE NO	(12) ITEM NO
A	B	C	D							3RD	4TH	5TH		
						AN/GGC-9 (continued)								
	P1	F		5305-550-9690		SCREW, MACHINE: Kleinschmidt part No. 10124 (Authorized allowances based on a total of 8)			4	2.6	1.6	80.0	90	10124
				5310-198-3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			1	-	-	-	90	10431
	P1	F		5310-514-7435		WASHER, LOCK: Kleinschmidt part No. 10435 (Authorized allowances based on a total of 8)			4	2.6	1.6	80.0	90	10435
	X2	F				BRACKET: Kleinschmidt part No. 58032			1	-	-	-	90	58032
	X2	F				PLATE, DISIGNATION: Kleinschmidt part No. 58443A			1	-	-	-		58443A
	P1	F		5815-633-0376		STUD, EXTENSION: Kleinschmidt part No. 58446 (Authorized allowances based on a total of 4)			2	1.7	1.0	8.0	90	58446
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 58453A			1	-	-	-	90	58453A
						GROUP XXII LOWER SUBPANEL ASSEMBLY								
				5815-594-3975		SWITCH, LEVER: (For Authorized allowances see Group XXI)			1	-	-	-	91	S35
				5930-617-2993		SWITCH, PUSH: (For Authorized allowances see Group XXI)			3	-	-	-	91	S37 S39 S41
				5305-537 8272		SCREW, MACHINE: (For Authorized allowances see Group XVII)			1	-	-	-	91	10122
				5305-550-9690		SCREW, MACHINE: (For Authorized allowances see Group XXI)			4	-	-	-	91	10124
				5310-198-3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			1	-	-	-	91	10431
				5310-514-7435		WASHER, LOCK: (For Authorized allowances see Group XXI)			4	-	-		91	10435
	X2	F				BRACKET: Kleinschmidt part No. 58032			1	-	-	-	91	58032
				5815-633-0376		STUD, EXTENSION: (For Authorized allowances see Group XXI			2	-	-	-	91	58446
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 58453A			1	-	-	-	91	58453A
						GROUP XXIII CONTROL BASE FRONT PANEL								
				5920 224 5269		FUSE, CARTRIDGE: 1.6 amp (For Authorized allowances see Group III)			2	-	-	-	92	F1 F2
	P1	F		5935-510-7555		JACK, TELEPHONE: MIL-J-641A; type JJ 016			4	1.7	1.0	12.0	92	J15 J17 J19 J20

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	(11) FIGURE NO	(12) ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5935-602-5241		JACK, TELEPHONE: MIL-J-641A			2	1.1	0.6	6.0	92	J16 J18
	P1	F		5930-888-3024		SWITCH, ROTARY: Kleinschmidt part No. 20499			2	2.0	1.2	10.0	92	S10 S11
	P1	F		5920-578-0009		FUSEHOLDER: Bussman part No. HKLQRXZE (Authorized allowances based on a total of 3)			2	1.5	0.8	9.0	92	XF3
	P1	F		5305-521-8638		SCREW, MACHINE: Kleinschmidt part No. 10304			8	2.6	1.6	80.0	92	10304
	X2	F				SCREW, MACHINE: Kleinschmidt part No. 10306			12	-	-	-	92	10306
				5305-206-3537		SCREW, MACHINE: (For Authorized allowances see Group XVII)			4	-	-	-	92	10397
				5310-198 3711		WASHER, LOCK: (For Authorized allowances see Group XVI)			4	-	-	-	92	10431
				5310-595-5969		WASHER, FLAT: (For Authorized allowances see Group III)			8	-	-	-	92	10459
				5310-637-3945		WASHER, FLAT: (For Authorized allowances see Group XVII)			4	-	-	-	92	10464
				5330-819-2759		BUMPER, PLASTIC: (For Authorized allowances see Group XVII)			2	-	-	-	92	11080
				5305-655-7365		THUMBSCREW: (For Authorized allowances see Group XVII)			2	-	-	-	92	11081
	P1	F		5905-865-7919		RESISTOR, FIXED, COMPOSITION: 220,000 ohms ±20%; 1/2w; MIL-R-11; type MS-35350-138X			1	1.5	0.8	6.0	92	20062
	P1	O		5920-681-5103		CAP, ELECTRICAL: Bussman part No. 6279C1/2 (Authorized allowances based on a total of 4)			2	2.0	1.2	12.0	92	20063
	M	F				LEAD, ELECTRICAL: Kleinschmidt part No. 22299			6	-	-	-	92	22299
	X2	F				HANDLE, BOW: Kleinschmidt part No. 63944			2	-	-	-	92	63944
	X2	F				PLATE: Kleinschmidt part No. 63945			2	-	-	-	92	63945
	X2	F				PANEL, SWITCH MOUNTING: Kleinschmidt part No. 63946A			1	-	-	-	92	63946A
	X2	F				PLATE: Kleinschmidt part No. 63949A			1	-	-	-	92	63949A
						GROUP XXIV CONTROL BASE REAR BRACKET ASSEMBLY								
	P1	F		5915-865-5161		FILTER, RADIO INTERFERENCE: Kleinschmidt part No. 63957			2	1.7	1.0	6.0	93	FL1 FL2
	P1	H		5935-552-6692		CONNECTOR, RECEPTACLE, ELECTRICAL: U.S. Components part No. MI-50F2SL			2	-	1.2	6.0	93	J12 J14
	P1	F		5935-199-2635		CONNECTOR, PLUG, ELECTRICAL: MIL-C-5015; type MS 3106A-18-20P			1	1.3	0.7	3.0	93	J82

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS FIGURE NO	(12) ITEM NO
										3RD	4TH	5TH		
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5935-683-0369		CONNECTOR, RECEPTACLE, ELECTRICAL: Hubbell part No. 5278			1	1.3	0.7	3.0	93	J25
				5305-297-4377		SCREW, MACHINE: (For Authorized allowances see Group XII)			4	-	-	-	93	10109
				5305-207-5582		SCREW, MACHINE: (For Authorized allowances see Group III)			6	-	-	-	93	10393
				5310-209-3990		WASHER, LOCK: (For Authorized allowances see Group III)			4	-	-	-	93	10403
				5310-261-6197		WASHER, LOCK: (For Authorized allowances see Group XVI)			6	-	-	-	93	10406
	X2	F				WASHER, LOCK:			4	-	-	-	93	10408
				5310-523-2035		NUT, SELF-LOCKING, HEXAGON: (For Authorized allowances see Group V)			2	-	-	-	93	10501
				5310-527-4494		NUT, PLAIN, HEXAGON: (For Authorized allowances see Group IX)			4	-	-	-	93	10513
				5310-221-4916		NUT, PLAIN, HEXAGON: (For Authorized allowances see Group XIV)			8	-	-	-	93	10517
	X2	F				GROMMET, RUBBER: Kleinschmidt part No. 21001			2	-	-	-	93	21001
	X2	F				PANEL, MOUNTING: Kleinschmidt part No. 63955A			1	-	-	-	93	63955A
	X2	F				BRACKET: Kleinschmidt part No. 63958			2	-	-	-	93	63958
						GROUP XXV REMOVAL OF TOP COMPONENTS FROM 48-VOLT POWER SUPPLY CHASSIS								
	P1	F		5910-227-0285		CAPACITOR, FIXED, ELECTROLYTIC: 1 sect, 150 vdcw 300 uuf JAN-C-62; type CE41C310J			2	2.0	1.2	6.0	96	C3 C4
	P1	F		5815-594-3981		RECTIFIER, METALLIC: Fansteel part No. BL-1017			1	1.0	0.5	3.0	96	CR1
	P1	F		6130-523-5816		RECTIFIER, METALLIC: Sig dwg No. SM-B-186908			2	1.5	0.8	6.0	96	CR3 CR4
	P	O		5920-295-7013		FUSE, CARTRIDGE: 2 amp; MIL F02G2R00A			2	25.0	21.1	100.0	96	F1 F2
	P1	F		5815-594-3980		REACTOR: Transformer Technicians part No. 3477			1	0.8	0.4	2.0	96	L1
				5935-636-7145		CONNECTOR, PLUG, ELECTRICAL: (For Authorized allowances see Group III)			1	-	-	-	96	P27
	P1	F		5935-259-5992		CONNECTOR, PLUG, ELECTRICAL: MIL-C-5015; type AN 3108B-16S-15			1	1.3	0.7	3.0	96	P29

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5950-602-5184		TRANSFORMER, POWER, ISOLATION AND STEP-DOWN: Kleinschmidt part No. 58014			1	1.0	0.5	3.0	96	T1
	P1	F		5940-556-7805		TERMINAL BOARD: Kleinschmidt part No. 20331			1	1.0	0.5	3.0	96	TB25
	P1	F		5920-578-0010		FUSEHOLDER: Bussman part No. HKAEQZ			2	1.1	0.6	6.0	96	XF1 XF2
	P1	F		5305-550-2512		SCREW, CAP, SOCKET HEAD: Kleinschmidt part No. 10032-01			1	0.8	0.4	20.0	96	10032-01
	P1	F		5305-521-8657		SCREW, MACHINE: Kleinschmidt part No. 10103			4	1.7	1.0	40.0	96	10103
	P1	F		5305-298-7831		SCREW, MACHINE: Kleinschmidt part No. 10301			4	1.7	1.0	40.0	96	10301
	X2	F				WASHER, LOCK: Kleinschmidt part No. 10400			1	-	-	-	96	10400
				5310-209-3990		WASHER, LOCK: (For Authorized allowances see Group III)			2	-	-	-	96	10403
				5310-543-2739		WASHER, LOCK: (For Authorized allowances see Group I)			2	-	-	-	96	10404
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			4	-	-	-	96	10429
				5310-209-3871		WASHER, LOCK: (For Authorized allowances see Group III)			4	-	-	-	96	10430
				5310-227-6574		WASHER, FLAT: (For Authorized allowances see Group XV)			2	-	-	-	96	10450
				5310-595-5385		WASHER, FLAT: (For Authorized allowances see Group X)			4	-	-	-	96	10467
				5310-551-7541		NUT, SELF-LOCKING, HEXAGON: (For Authorized allowances see Group XV)			1	-	-	-	96	10500
	X2	F				NUT, SELF-LOCKING, HEXAGON: Kleinschmidt part No. 10503			2	-	-	-	96	10503
	P1	F		5310-619-1196		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10593			8	2.6	1.6	80.0	96	10593
				5920-681-5103		CAP, ELECTRICAL: (For Authorized allowances see Group XXIII)			1	-	-	-	96	20063
	X2	F				PLATE, DESIGNATION: Kleinschmidt part No. 20330			1	-	-	-	96	20330
				5940-642-4428		TERMINAL LUG: (For Authorized allowances see Group XIV)			2	-	-	-	96	20379
				6145-578-7231		CABLE, POWER, ELECTRICAL: (For Authorized allowances see Group I)	ft		2	-	-	-	96	20640
				5940-231-4428		TERMINAL, LUG: (For Authorized allowances see Group III)			2	-	-	-	96	20708
				5940-231-4425		TERMINAL, LUG: (For Authorized allowances see Group I)			4	-	-	-	96	20709
	X2	F				GROMMET, RUBBER: Kleinschmidt part No. 20726			2	-	-	-	96	20726
	P1	F		5935-259-9825		ADAPTER, CABLE TO CONNECTOR: ANA std AN 3055; part No. AN 3055-16-4			1	0.8	0.4	4.0	96	20910
	P1	F		5935-223-0577		ADAPTER, CABLE TO CONNECTOR: MIL-C-5015; type AN-3057-4			1	0.8	0.4	4.0	96	20911
	P1	F		5307-655-6657		STUD, STEPPED: Kleinschmidt part No. 51660			2	1.1	0.6	20.0	96	51660

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(9) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(10) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO.	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
	P1	F		5995-601-4170		CABLE ASSEMBLY, SPECIAL PURPOSE: Kleinschmidt part No. 56863A			1	1.3	0.7	5.0	96	56863A
	X2	F				INSULATOR, PLATE: Kleinschmidt part No. 58010			1	-	-	-	96	58010
	X2	F				CHASSIS: Kleinschmidt part No. 58012A			1	-	-	-	96	58012A
	A	F				CABLE ASSEMBLY: Kleinschmidt part No. 58017A			1	-	-	-	96	58017A
	A	F				CABLE ASSEMBLY: Kleinschmidt part No. 58018A			1	-	-	-	96	58018A
						GROUP XXVI DISASSEMBLY OF CHASSIS INNER COMPONENTS OF 48-VOLT POWER SUPPLY								
	P1	F		5910-649-3118		CAPACITOR, FIXED, ELECTROLYTIC: 1 sect 200v dc (1) 20 uuf -20 deg c to +85 deg c; Kleinschmidt part No. 20213			4	3.1	2.0	12.0	97	C8 C9 C10 C11
	P1	F		5905-508-0819		RESISTOR, FIXED, WIRE WOUND: Kleinschmidt part No. 20039			2	1.5	0.8	6.0	97	R3 R14
	P1	F		5905-264-7150		RESISTOR, FIXED, WIRE WOUND: MIL-R-26C; type RW20G351			1	1.0	0.5	3.0	97	R4
	P1	F		5905-117-4283		RESISTOR, FIXED, COMPOSITION: 100 ohms ±10% 1/2w; MIL-R-11; type RC20BF101K			2	1.5	0.8	6.0	97	R20 R21
	P1	F		5905-280-0070		RESISTOR, FIXED, WIRE WOUND: MIL-R-26C; type RW30G801			2	1.5	0.8	6.0	97	R29 R30
				5305-559-1212		SCREW, MACHINE: (For Authorized allowances see Group XIX)			1	-	-	-	97	10093

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS	
										3RD	4TH	5TH	FIGURE NO	ITEM NO
A	B	C	D			AN/GGC-9 (continued)								
				5305-637-7903		SCREW, MACHINE: (For Authorized allowances see Group IV)			6	-	-	-	97	10106
	P1	F		5305-551-0211		SCREW, MACHINE: Kleinschmidt part No. 10164			2	1.1	0.6	20.0	97	10164
				5310-209-4471		WASHER, LOCK: (For Authorized allowances see Group II)			6	-	-	-	97	10429
				5310-209-3871		WASHER, LOCK: (For Authorized allowances see Group III)			2	-	-	-	97	10430
				5310-595-5385		WASHER, FLAT: (For Authorized allowances see Group X)			2	-	-	-	97	10467
				5310-523-2035		NUT, SELF-LOCKING, HEXAGON: (For Authorized allowances see Group V)			2	-	-	-	97	10501
	P1	F		5940-688-2382		TERMINAL STUD: Kleinschmidt part No. 20357			4	1.7	1.0	3.0	97	20357
	X2	F				CLAMP, LOOP:			1	-	-	-	97	20514
				5940-231-4430		TERMINAL LUG: (For Authorized allowances see Group III)			3	-	-	-	97	20706
	X2	F				CLAMP, LOOP: Kleinschmidt part No. 20888			1	-	-	-	97	20888
	P1	F		5330-049-7872		WASHER, NONMETALLIC: Kleinschmidt part No. 51481			6	2.0	1.2	60.0	97	51481
	P1	F		5310-588-0977		WASHER, FINISHING: Kleinschmidt part No. 57311			4	1.7	1.0	40.0	97	57311
	M	H				HARNESS ASSEMBLY: Kleinschmidt part No. 58019A			1	-	-	-	97	58019A

SECTION III. FUNCTIONAL PARTS LIST (POWER SUPPLY PP-1801/FG)

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 3RD	(9) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS 4TH	(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS 5TH	(11) ILLUSTRATIONS FIGURE NO	(12) ILLUSTRATIONS ITEM NO
A	B	C	D			POWER SUPPLY PP-1801/FG								
				5815-542-6442		POWER SUPPLY PP-1801/FG: Metallic type fullwave rectification; output dc 120v; .240 amp, ac 115v normal .5 amp; oper power requirement, ac 105/115/125, 50/60 single ph. filter incl.		NX						
	P1	F		5910-543-9467		CAPACITOR, FIXED, ELECTROLYTIC: MIL type CE41C221K			1	1.3	0.7	3.0	143	C-5
	P1	F		6130-577-8446		RECTIFIER, METALLIC: Fan Steel Metallurgical Corp. Dwg No. Q-55-10240			1	1.0	0.5	3.0	143 140	CR2
	P1	O		5920-235-8362		FUSE, INDICATOR ALARM: Bussman part No. MDL-3/10			1	13.7	11.1	50.0	143 140	F3
	P1	F		5950-682-3304		REACTOR: Kleinschmidt part No. 58005			1	0.8	0.4	2.0	143	L2
	P	F		5935-259-5980		CONNECTOR, PLUG, ELECTRICAL: MIL-C-5015C Part No. MS3108B18-43			1	1.1	0.8	5.0	140 142	P32
	P1	F		5935-636-7145		CONNECTOR, PLUG, ELECTRICAL: MIL type UP-12IM			1	0.5	0.3	2.0	140 142	P55
	P1	F		5905-157-2131		RESISTOR, FIXED, WIREWOUND: MIL type RW20G202			1	1.0	0.5	3.0	142	R5
	P1	F		5950-688-2940		TRANSFORMER, POWER, ISOLATION AND STEP-UP: Kleinschmidt part No. 58004			1	1.3	0.7	5.0	143	T2
	P1	F		5940-556-7805		TERMINAL, BOARD: Kleinschmidt part No. 20331			1	0.5	0.3	2.0	143	TB26
	P1	F		5920-578-0009		FUSEHOLDER: Bussman part No. HKL-QRXZE			1	0.8	0.4	5.0	143	XF3
	P1	F		5305-521-8637		SCREW, CAP, SOCKET, HEAD: Kleinschmidt part No. 10001			2	1.1	0.6	10.0	142	10001
	P1	F		5305-550-2512		SCREW, CAP, SOCKET, HEAD: Kleinschmidt part No.10032-01			1	0.8	0.4	10.0	142	10032-01
	P1	F		5305-559-1212		SCREW, MACHINE: Kleinschmidt part No. 10093			2	1.1	0.6	10.0	142	10093
	P1	F		5305-637-7903		SCREW, MACHINE: Kleinschmidt part No. 10106			4	1.7	1.0	5.0	143	10106
	P1	F		5310-209-3990		WASHER, FLAT: Kleinschmidt part No. 10103			4	1.1	0.6	10.0	142	10403
	P1	F		5310-543-2739		WASHER, LOCK: Kleinschmidt part No. 10404			2	1.1	0.6	10.0	142	10404
	P1	F		5310-282-9584		WASHER, LOCK: Kleinschmidt part No. 10405			8	2.6	1.6	10.0	143	10405

(1) SOURCE MAINTENANCE AND RECOVERABILITY CODE				(2) FEDERAL STOCK NUMBER	(3) DESIGNATION BY MODEL	(4) DESCRIPTION	(5) UNIT OF ISSUE	(6) EXPENDABILITY	(7) QUANTITY INCORPORATED IN UNIT	(8) FIELD 15 DAYS MAINTENANCE ALLOWANCE PER 100 EQUIPS		(10) DEPOT QUANTITY REQUIRED FOR REBUILD OF 100 EQUIPS	(11) ILLUSTRATIONS FIGURE NO	(12) ILLUSTRATIONS ITEM NO
										3RD	4TH	5TH		
A	B	C	D			PP-1801-FG (continued)								
	P1	F		5310-013-1196		WASHER, LOCK: Kleinschmidt part No. 10429			8	2.6	1.6	10.0	142 143	10429
	P1	F		5310-209-3871		WASHER, LOCK: Kleinschmidt part No. 10430			2	1.1	0.6	10.0	142	10430
	P1	F		5310-637-3914		WASHER, FLAT: Kleinschmidt part No. 10458			4	1.1	0.6	10.0	143	10458
	P1	F		5310-551-7541		NUT, SELF-LOCKING, HEXAGON: Kleinschmidt part No. 10500			2	1.1	0.6	10.0	143	10500
	P1	F		5310-543-4317		NUT, SELF-LOCKING, HEXAGON: Kleinschmidt part No. 10503			2	0.8	0.4	2.0	143	10503
	P1	F		5310-208-6617		NUT, PLAIN, HEXAGON: Kleinschmidt part No. 10509			8	2.6	1.6	8.0	143	10509
	P1	O		5920-681-5103		CAP, ELECTRICAL: Bussman part No. 62790-1/2			1	0.8	0.4	5.0	143	20063
	P1	F		5940-688-2382		TERMINAL, STUD: U. S. Engineering Co. part No. 1418AG			2	0.8	0.4	5.0	142	20357
	P1	F		5940-642-4428		TERMINAL LUG: Kleinschmidt part No. 20379			1	1.0	0.5	3.0	142	20379
	P1	F		5340-291-5305		CLAMP, LOOP; Kleinschmidt part No. 20514			1	0.8	0.4	5.0	142	20514
	P1	F		6145-578-7234		CABLE, POWER, ELECTRICAL: MIL type CO-02MGF(2-18)SJ0375 (Authorized allowances will be a minimum of or a multiple of 14 ft.) Item Nos: 20640-19.00			14	*	*	140.0	142	See desc column
	P1	F		5940-231-4430		TERMINAL, LUG: Aircraft Marine Products Co. No. 32562			3	1.5	0.8	5.0	142	20706
	P1	F		5940-231-4428		TERMINAL, LUG: Kleinschmidt part No. 20708			1	0.8	0.4	5.0		20708
	P1	F		5940-231-4425		TERMINAL, LUG: Kleinschmidt part No. 20709			2	1.5	0.8	5.0	142	20709
	P1	F		5975-378-3587		INSULATOR, BUSHING Heymann part No. SR-6P			1	1.0	0.5	5.0	142	20713
	P1	F		5325-174-5331		GROMMET, RUBBER: Atlantic India Rubber Co. part No.2538			2	2.0	1.2	10.0	143	20726
	P1	F		5975-319-0661		INSULATOR, BUSHING: Hymann part No. SR-7P			1	1.0	0.5	5.0	142	20835
	P1	F		5935-549-2121		ADAPTER, CABLE TO CONNECTOR: Amphenol part No. 97-3057-10-6			1	0.8	0.4	5.0	142	20914
	P1	F		5307-655-6657		STUD, SHOULDERED AND STEPPED: Kleinschmidt Part No.51660			2	1.5	0.8	5.0	143	51660

By Order of Secretary of the Army:

EARLE G. WHEELER,
General, United States Army,
Chief of Staff.

Official:
J. C. LAMBERT,
Major General, United States Army,
The Adjutant General.

Distribution:

Active Army:

DASA (6)
USASA (2)
CNGB (1)
CofEngrs (1)
TSG (1)
CSigO (5)
CofT (1)
USA CD Agcy (1)
USAATBD (1)
USCONARC (5)
ARADCOM (2)
ARADCOM Rgn (2)
OS Maj Comd (3)
OS Base Comd (2)
LOGCOMD (2)
MDW (1)
Armies (2)
Corps (2)
Instl (2) except
  Ft Monmouth (63)
USATC AD (2)
USATC Armor (2)
USATC Engr (2)
USATC FA (2)
USATC Inf (2)
USA Mat Comd (5)
USA Elct Comd (5)
USA Strat Comm Comd (4)
Svc Colleges (2)
Br Svc Sch (2)
GENDEP (OS) (2)
Sig Sec, GENDEP (5)
Sig Dep (OS) (12)
Army Dep (2) except
  Sacramento Army Dep (17)
  Tobyhanna Army Dep (12)
  Lexington Army Dep (12)
  Atlanta Army Dep (None)
WRAMC (1)
Trans Tml Comd (1)
Army Tml (1)
POE (1)
OSA (1)
USAEPG (2)
AFIP (1)
AMS (1)
Army Pic Cen (2)
USA Mob Spt Cen (1)
USA Elct Mat Agcy (25)
Chicago Proc Dist (1)
USA Msl Comd (4)
USARCARIB Sig Agcy (1)
USA Sig Msl Spt Agcy (13)
Sig Fld Maint Shops (3)
USA Corps (3)
Def Log Svc Cen (1)
JBUSMC (2)
Units org under fol TOE:
  11-7 (2)
  11-16 (2)
  11-57 (2)
  11-97 (2)
  11-98 (2)
  11-117 (2)
  11-155 (2)
  11-157 (2)
  11-500 (AA-AE) (4)
  11-557 (2)
  11-587 (2)
  11-592 (2)
  11-597 (2)

NG: State AG (3).
USAR: None.
For explanation of abbreviations used, see AR 320-50.